

**HP Business PC**

**รูปตัวอย่าง**  
(HP Integrated Work Centre Stand & Monitor เป็น Option 1385)



**NEW**



**NEW**



**NEW**



	<b>dx2310</b> C1-NA138PA#AKL	<b>dx2310</b> C1-NA139PA#AKL	<b>dx2310MT</b> C1-NA140PA#AKL	<b>dx7400MT</b> C1-FX768PA#AKL
<b>Processor</b>	<b>Intel Pentium Dual-Core E2200 processor</b> (2.2GHz)	<b>Core 2 Duo E7300 processor</b> (2.66GHz)	<b>Intel Core 2 Duo E8400 Processor</b> (3.0 GHz)	<b>Core 2 Duo E8400 Processor</b> (3.0 GHz)
<b>Cache L2</b>	<b>1MB L2 Cache</b> , 800MHz FSB	<b>3MB L2 Cache</b> , 1066MHz FSB	<b>6MB L2 Cache</b> , 1333MHz FSB	<b>6MB L2 Cache</b> , 1333MHz FSB
<b>Memory Std.</b>	<b>1x2GB PC2-6400</b> (DDR2-800) Memory (2 DIMM slots up to 4GB)	<b>1x2GB PC2-6400</b> (DDR2-800) Memory (2 DIMM slots up to 4GB)	<b>1x2GB PC2-6400</b> (DDR2-800) Memory (2 DIMM slots up to 4GB)	<b>1x2GB PC2-6400</b> (DDR2-800) (4 DIMM slots)
<b>Chipset</b>	Intel G31 Express chipset	Intel G31 Express chipset	Intel G31 Express chipset	Intel Q33 Express Chipset
<b>Harddisk</b>	<b>160GB SATA NCQ HDD SMART</b>	<b>250GB SATA NCQ HDD SMART</b>	<b>320GB SATA NCQ HDD SMART</b>	<b>250GB SATA NCQ HDD SMART IV</b>
<b>CD-ROM</b>	<b>SATA 16X SuperMulti</b> LghtScribe 1st No SW	<b>SATA 16X SuperMulti</b> LghtScribe 1st No SW	<b>SATA 16X SuperMulti</b> LghtScribe 1st No SW	<b>SATA 16X SuperMulti</b> LightScribe
<b>LAN</b>	Integratd Realtek 811 C-VB-R Gigabit Ethernet	Integratd Realtek 811 C-VB-R Gigabit Ethernet	Integratd Realtek 811 C-VB-R Gigabit Ethernet	Broadcom NetXtreme GbE PCIe Card
<b>Audio</b>	Realtek ALC662 High Definition audio codec, 3D audio compliant	Realtek ALC662 High Definition audio codec, 3D audio compliant	Realtek ALC662 High Definition audio codec, 3D audio compliant	Integrated Realtek ALC888 Audio
<b>Graphics</b>	Intel Graphics Media Accelerator 3100	Intel Graphics Media Accelerator 3100	Intel Graphics Media Accelerator 3100	PCIeGrphc Card Nvidia GF 8400GS 256MB SH
<b>Expandable</b>	6 USB 2.0 ports, 2 PS/2, 1 RJ-45, 1 VGA, 1 parallel, 1 serial, 1 audio in, 1 audio out, 1 MIC, (2) Full hight PCI 2.3 Slots, (1) full hight PCIe x 1 Slot	6 USB 2.0 ports, 2 PS/2, 1 RJ-45, 1 VGA, 1 parallel, 1 serial, 1 audio in, 1 audio out, 1 MIC, (2) Full hight PCI 2.3 Slots, (1) full hight PCIe x 1 Slot, full hight PCIe x16 Slot	6 USB 2.0 ports, 2 PS/2, 1 RJ-45, 1 VGA, 1 parallel, 1 serial, 1 audio in, 1 audio out, 1 MIC, (2) Full hight PCI 2.3 Slots, (1) full hight PCIe x 1 Slot	(2) USB 2.0 ports, audio ports, (6) USB 2.0 ports, (1) serial port, (1) optional second serial port, (1) parallel port, (2) PS/2, (1) RJ-45
<b>Monitor</b>	<b>No Monitor</b>	<b>No Monitor</b>	<b>No Monitor</b>	<b>No Monitor</b>
<b>OS</b>	FreeDOS SW	FreeDOS SW	FreeDOS SW	Vista Business, Thai
<b>Warranty</b>	<b>1-1-1 warranty MT</b> (optional warranty extensions available)	<b>1-1-1 warranty MT</b> (optional warranty extensions available)	<b>1-1-1 warranty MT</b> (optional warranty extensions available)	<b>3-3-3 MT Warranty</b>
<b>SRP</b>	<b>10,900.-</b>	<b>13,900.-</b>	<b>16,900.-</b>	<b>25,900.-</b>

**HP Option for PC (Commercial Monitor)**

	<b>SRP</b>	
C1-GV537AA#AKL	w17e 17" wide LCD Monitor	6,200
C1-FM745AA#AUL	w15e 15" wide LCD Monitor	5,200
C1-GS917AA#AKL	L1710 17" LCD Monitor	7,200
C1-GF904AA#AKL	HP L1750 17" LCD Monitor	9,300
C1-GS918AA#AKL	L1910 19" LCD Monitor	9,400
C1-KR145AA#AKL	1950g 19" LCD Monitor	8,300
C1-GP536AA#AKL	HP L1908w 19" wide LCD Monitor	7,200
C1-KA214AA#AKL	HP L1908wm 19" wide LCD Monitor	9,400
C1-RB145AA#AKL	L2045w 20" wide LCD Monitor	14,400
C1-GX007AA#AKL	L2208w 22" wide LCD Monitor	10,800
C1-FL472AA#AKL	L2245w 22" wide LCD Monitor	11,400

**P/N THIN CLIENT**

<b>P/N</b>	<b>THIN CLIENT</b>	<b>SRP</b>
C1-KD219AA#AKL	t5730 XPE S2100 1GF/512R TC THAI	14,900
C1-GY227AA#AKL	t5730 S2100 1GF/1GR TC THAI	15,900
C1-GY229AA#AKL	t5730 S2100 1GF/512R wifi row THAI	15,900
C1-GY231AA#AKL	t5735 S2100 1GF/512R TC THAI	11,900
C1-FQ800AA#AKL	t5145 LNX 500MHZ 128F/512R TC THAI	8,700
C1-FQ798AA#AKL	t5545 LNX 1.0GHz 512F/512R TC THAI	9,800
C1-FQ799AA#AKL	t5540 CE 800MHZ 128F/512R TC THAI	10,900
C1-FY267AA#AKL	t5630 XPE 1GHZ 1GF/512R TC THAI	12,700
C1-FQ801AA#AKL	t5630 XPe 1GHZ 1GF/1GR TC THAI	13,200



SIS Distribution (Thailand) Public Company Limited  
Tel: 0-2640-3000 FAX 0-2643-0780  
Email address: sis@sisthai.com

สงวนลิขสิทธิ์ในข้อมูลสินค้าและบริการ

All Prices and Specification Subject to Change Without Prior Notice and Excluding Vat 7%

**HP Business PC**

ศูนย์รวม  
(HP integrated Work Centre Stand  
& Monitor เป็น Option ใจSu)



**dx7500 MT**

C1-NA144PA#AKL

**dx7500MT**

C1-NA145PA#AKL

**dx7500MT** **NEW**

C1-NA146PA#AKL

**dc5800MT**

C1-FX770PA#AKL

**dc5800MT**

C1-FX769PA#AKL

<b>Processor</b>	<b>Core 2 Duo E7300 processor</b> (2.66GHz)	<b>Intel Core 2 Duo E8400 Processor</b> (3.0 GHz)	<b>Intel Core 2 Quad Q8200 processor</b> (2.33 GHz)	<b>Intel Core 2 Duo E7200 processor</b> (2.53GHz)	<b>Core 2 Duo E8400 Processor</b> (3.0 GHz)
<b>Cache L2</b>	<b>3MB L2 Cache</b> ,1066MHz FSB	<b>6MB L2 Cache</b> ,1333MHz FSB	<b>4MB L2 Cache</b> ,1333MHz FSB	<b>3MB L2 Cache</b> ,800MHz FSB	<b>6MB L2 Cache</b> ,1333MHz FSB
<b>Memory Std.</b>	<b>2x 1GB PC2-6400</b> (DDR2-800) Memory (4 DIMM slots up to 16GB)	<b>2x 1GB PC2-6400</b> (DDR2-800) Memory (4 DIMM slots up to 16GB)	<b>2x 1GB PC2-6400</b> (DDR2-800) Memory (4 DIMM slots up to 16GB)	<b>1x2GB PC2-6400</b> (DDR2-800) Memory (4 DIMM slots)	<b>3x1GB PC2-6400</b> (DDR2-800)
<b>Chipset</b>	Intel G45 Express Chipset	Intel G45 Express Chipset	Intel G45 Express Chipset	Intel Q33 Express	Intel Q33 Express
<b>Harddisk</b>	<b>250GB SATA NCQ HDD SMART</b>	<b>320GB SATA NCQ HDD SMART</b>	<b>320GB SATA NCQ HDD SMART</b>	<b>250GB SATA NCQ HDD SMART</b>	<b>250GB SATA NCQ HDD SMART</b>
<b>CD-ROM</b>	<b>SATA 16X SuperMulti</b> LghtScribe 1st Drv	<b>SATA 16X SuperMulti</b> LghtScribe 1st Drv	<b>SATA 16X SuperMulti</b> LghtScribe 1st Drv	<b>SATA 16X/48X DVD-ROM</b> 1st Drive No SW	<b>SATA 16X SuperMulti</b> LightScribe 1st Driv
<b>LAN</b>	Intel Integrated 82567LM Gigabit Network Connection	Intel Integrated 82567LM Gigabit Network Connection	Intel Integrated 82567LM Gigabit Network Connection	Broadcom NetXtreme GbE PCIe Card	Broadcom NetXtreme GbE PCIe Card
<b>Audio</b>	Integrated Realtek ALC888S Audio	Integrated Realtek ALC888S Audio	Integrated Realtek ALC888S Audio	Integrated High Definition audio with ADI1884 codec	Integrated High Definition audio with ADI1884 codec
<b>Graphics</b>	Intel Graphics Media Accelerator X4500HD	Intel Graphics Media Accelerator X4500HD	ATI Radeon 3470 256MB	Intel Graphics Media Accelerator 3100 integrated graphics	NV Qdro NVS 290 256MB DH
<b>Expandable</b>	Rear I/O: (4) USB 2.0 ports, (2) PS/2, (1) RJ-45, (1) 1394, (1) VGA, Front I/O: (3) USB 2.0 ports, (1)MIC – (1) audio out , (1) 1394,(3) PCIe x1 slots	Rear I/O: (4) USB 2.0 ports, (2) PS/2, (1) RJ-45, (1) 1394, (1) VGA, Front I/O: (3) USB 2.0 ports, (1)MIC – (1) audio out , (1) 1394,(3) PCIe x1 slots, (1) PCIe x16 slot	SH PCIe Card - 1st Rear I/O: (4) USB 2.0 ports, (2) PS/2, (1) RJ-45, (1) 1394, (1) VGA, Front I/O: (3) USB 2.0 ports, audio out	Front I/O: (2) USB 2.0, Rear I/O: (6) USB 2.0, (1) standard serial port, (1) optional serial port, (2) PS/2	PCIex16 1st Crd Front I/O: (2) USB 2.0, Rear I/O: (6) USB 2.0 , (1) standard serial port, (1) optional serial port
<b>Monitor</b>	<b>No Monitor</b>	<b>No Monitor</b>	<b>No Monitor</b>	<b>No Monitor</b>	<b>No Monitor</b>
<b>OS</b>	Windows Vista Home Basic (Thai Version)	Windows Vista Custom Downgrade to XP Pro	Windows Vista Custom Downgrade to XP Pro	Vista Custom Downgrade XP	Vista Business - Downgrade
<b>Warranty</b>	<b>1-1-1 warranty MT</b>	<b>3-3-3 warranty MT</b>	<b>3-3-3 warranty MT</b>	<b>3-3-3 MT Warranty</b>	<b>3-3-3 MT Warranty</b>
<b>SRP</b>	<b>17,900.-</b>	<b>22,900.-</b>	<b>26,900.-</b>	<b>22,900.-</b>	<b>29,900.-</b>

SIS Distribution (Thailand) Public Company Limited  
Tel: 0-2640-3000 Fax: 0-2643-0780  
Email address: sis@sisintl.com

ราคาจำหน่ายทั้งหมดรวมภาษีและค่าธรรมเนียม 7% : ภาษีมูลค่าเพิ่มตามที่กรมสรรพากรกำหนด  
สามารถดูรายละเอียดเพิ่มเติมได้ที่เว็บไซต์ของเรารวมทั้งโทรสอบถาม  
All Prices and Specification Subject to Change Without Prior Notice and Excluding Vat 7%

**HP Business PC**

รูปตัวอย่าง  
(HP integrated Work Centre Stand  
& Monitor เป็น Option ใจSu)



**dc7900SFF**  
C1-NA142PA#AKL



**NEW**  
**dc7900SFF**  
C1-NA143PA#AKL



**NEW**  
**dc7900USDT**  
C1-NA141PA#AKL

Processor	<b>Intel Core 2 Quad Q8200 processor</b> (2.33 GHz)	<b>Core 2 Quad Q9550 processor</b> (2.83 GHz)	<b>Intel Core 2 Duo E8500 processor</b> (3.16 GHz)	
Cache L2	<b>4MB L2 Cache</b> ,1333MHz FSB	<b>12MB L2 Cache</b> ,1333MHz FSB	<b>6MB L2 Cache</b> ,1333MHz FSB	
Memory Std.	<b>1x 2GB PC2-6400</b> DDR2-800 SODIM (4 DIMM slots up to 16GB)	<b>4x1GB PC2-6400</b> (DDR2-800) (4 DIMM slots up to 16GB)	<b>1x 2GB PC2-6400</b> DDR2-800 SODIM (2 DIMM slots up to 8GB)	
Chipset	Intel Q45 Express chipset	Intel Q45 Express chipset	Intel Q45 Express chipset	
Harddisk	<b>320GB 7200RPM SATA</b> NCQ/SMART	<b>500GB 7200RPM SATA</b> NCQ/SMART	<b>250GB 7200RPM SATA</b> NCQ/SMART	
CD-ROM	<b>SATA 16X SuperMulti</b>	<b>SATA 16X SuperMulti</b> LghtScribe 1st Drive	<b>Slim SATA 8X SuperMulti</b> LghtScribe Driv	
LAN	LghtScribe 1st Drv Broadcom NetXtreme Gigabit	Broadcom NetXtreme Gigabit Ethernet Plus PCIe NIC	Broadcom NetXtreme Gigabit Ethernet Plus PCIe NIC	
Audio	Ethernet Plus PCIe NIC Integrated HD audio with AD1884A codec	Integrated HD audio with AD1884A codec	Integrated HD audio with AD1884A codec	
Graphics	NVIDIA Quadro NVS 290 256MB	NVIDIA Quadro NVS 290 256MB dual head graphics adapter	Intel GMA 4500 DirectX 10 graphics	
Expandable	dual head graphics adapterFront I/O: (2) USB 2.0, headphone and microphone, Rear I/O: (6) USB 2.0, (1) serial port, (2)	Front I/O: (2) USB 2.0, headphone and microphone,Rear I/O: (6) USB 2.0, (1) serial port, PS/2, (1) RJ-45, (1) VGA port	Front I/O: (2) USB 2.0, headphone and microphone,Rear I/O: (6) USB 2.0, (1) DisplayPort, (2) PS/2, (1) RJ-45	
Monitor	PS/2, (1) RJ-45, (1) VGA port	<b>No Monitor</b>	<b>No Monitor</b>	
OS	<b>No Monitor</b> Windows Vista Custom Downgrade to XP Pro	Windows Vista Custom Downgrade to XP Pro (Thai Version)	Windows Vista Custom Downgrade to XP Pro (Thai Version)	
Warranty	HP (3-3-3) dc7800 SFF Warranty	<b>5-5-5 (SFF) warranty</b>	<b>3-3-3 MT Warranty USDT</b>	
Free				
SRP	<b>32,500.-</b>	<b>39,900.-</b>	<b>30,900.-</b>	

SIS Distribution (Thailand) Public Company Limited  
TEL: 0-2640-3000 FAX: 0-2643-0780  
Email address: sis@sisintl.com

ราคาจำหน่ายทั้งหมดยกเว้นภาษีมูลค่าเพิ่ม 7% : บริษัทขอสงวนสิทธิ์ในการเปลี่ยนแปลงราคาโดยไม่另行通知  
All Prices and Specification Subject to Change Without Prior Notice and Excluding Vat 7%

**Medium Tower**



**ThinkCenter A61 AMD**  
L5K-9143AE8



**ThinkCenter A57e (Tower)**  
L5K-6306RZ7



**ThinkCenter A57 (Tower)**  
L5K-9702RW1



**ThinkCenter M57/SFF**  
L5K-6072FAT



**ThinkCenter M58/SFF**  
L5K-7360RW7

<b>Processor</b>	<b>Athlon64 X2 4400 2.3Ghz</b>	<b>Intel ATOM 230 1.6 GHz</b>	<b>Pentium Dual Core E2200 (2.2Ghz)</b>	<b>Pentium Dual Core E2200 (2.2Ghz)</b>	<b>Core 2 Duo E7300 2.66GHz/ 3MB L2 Cache</b>
<b>Cache L2</b>	<b>2x512KB</b>	<b>512KB</b>	<b>1MB</b>	<b>1MB</b>	<b>3MB</b>
<b>Memory Std.</b>	<b>1024GB/8GB</b>	<b>1024 MB DDR 2 667 MHz/4GB max /1 Dimms</b>	<b>1024 MB DDR 2 667 MHz/4GB max /2 Dimms</b>	<b>1024 MB DDR 2 667 MHz/4GB max /2 Dimms</b>	<b>1x1024MB PC-3 800Mhz/8GB (4Dimms)</b>
<b>Chipset</b>	AMD 690G Chipset	945GC+ICH7	Intel G31	Intel G31	Intel Q45 Express Chipset
<b>Harddisk</b>	<b>250GB 7200Rpm</b>	<b>160GB SATA II 7200 rpm</b>	<b>250GB SATA II 7200 rpm</b>	<b>160 GB SATA II 7200 rpm</b>	<b>250GB 7200Rpm</b>
<b>Optical</b>	<b>DVD-RW</b>	<b>DVD-RW</b>	<b>DVD-RW</b>	<b>DVD-RW</b>	<b>Multiburner (DVD-RW) Built-in/No FDD</b>
<b>LAN</b>	Gigabit Ethernet	Realtek RTL8102E 10/100M Lan	Gigabit ethernet on planar, Marvell 88E8056, PCIe x1, Wake on LAN	Gigabit ethernet on planar, Intel 82566DM, PCIe x1, Wake on LAN, ASF2.0	Gigabit ethernet on planar, Intel 82567 LM, Wake on LAN, ASF2.0, DASH 1.0
<b>Audio</b>	High Defi nition (HD) Audio, ALC888 codec	High Defi nition (HD) Audio, Realtek ALC662 codec	High Defi nition (HD) Audio, Realtek ALC662 codec	High Defi nition (HD) Audio, Realtek ALC662 codec	High Defi nition (HD) Audio Analog Devices AD1882 codec
<b>Graphics</b>	ATI Radeon X1250, integrated graphics in 690G	Intel GMA 950	Intel Graphics Media Accelerator 3100 (GMA 3100)	Intel Graphics Media Accelerator 3100 (GMA 3100)	Intel Graphics Media Accelerator 4500 (GMA 4500)
<b>Expandable</b>	6ports (2front) 1xserail, 1xparallel	Four USB 2.0(back), Two USB 2.0 (front)/ Two USB 2.0 planar connectors (one used; one open for media reader)	Four USB 2.0(back), Two USB 2.0 (front) / Two USB 2.0 planar connectors (one used; one open for media reader)	Six USB 2.0(back), Two USB 2.0 (front) / Two USB 2.0 planar connectors (one used; one open for media reader)	8ports (2front) 1xserail
<b>Monitor</b>	- Dos	<b>L174 LCD 17" Monitor</b>	<b>L174 LCD 17" Monitor</b>	<b>L174 LCD 17" Monitor</b>	<b>L174 LCD 17" Monitor</b>
<b>OS</b>		<b>Dos</b>	Dos	Dos	Vista Business
<b>Warranty</b>	<b>3/3/3</b>	<b>1/1/1</b>	<b>1/1/1</b>	<b>3/3/3</b>	<b>3/3/3</b>
<b>SRP</b>	Call	<b>15,750.-</b>	<b>18,400.-</b>	<b>20,000.-</b>	<b>31,200.-</b>



SIS Distribution (Thailand) Public Company Limited  
Tel.: 0-2640-3000 FAX: 0-2643-0780  
Email address : sis@sisfai.com

สงวนลิขสิทธิ์ในเอกสารนี้ 7% : ผู้ขายจะรับประกันสินค้าตามสัญญาที่แนบมา  
สงวนลิขสิทธิ์ในเอกสารนี้ 7% : ผู้ขายจะรับประกันสินค้าตามสัญญาที่แนบมา  
All Prices and Specification Subject To Change Without Prior Notice and Excluding Vat 7%

**Medium Tower**



**ThinkCenter M58**  
(Tower)  
L5K-7484RR7



**ThinkCentre M57e**  
(Small Form Factor)  
L5-9952CTO#1



**ThinkCentre M57e**  
(Tower)  
L5K-9439EKT



**ThinkCenter A57**  
(Tower)  
L5-9851AD6

<b>Processor</b>	<b>Core 2 Duo E8400 3GHz/ 6MB L2 Cache</b>	<b>Pentium Core 2 Duo E7300 (2.66Ghz)</b>	<b>Pentium Core 2 Duo E7300 (2.66 Ghz)</b>	<b>Core 2 Quad Q9300 (2.5Ghz/1333Mhz)</b>	<b>Core 2 Quad Q6600 (2.4Ghz/1066Mhz)</b>
<b>Cache L2</b>	6MB	3MB	3MB	6MB	8MB
<b>Memory Std.</b>	1x1024MB PC-3 800Mhz/8GB (4Dimms)	1024 MB DDR 2 667 MHz/4GB max /2 Dimms	1024 MB DDR 2 667 MHz/4GB max /2 Dimms	2x1024MB PC-2 667Mhz/8GB (4 Dimms)	2x1024MB PC-2 667Mhz/4GB (2 Dimms)
<b>Chipset</b>	Intel Q45 Express Chipset	Intel G31	Intel G31	Q35	G31
<b>Harddisk</b>	250GB 7200rpm	250 GB SATA II 7200 rpm	160 GB SATA II 7200 rpm	320GB 7200Rpm	320GB 7200Rpm
<b>CD-ROM</b>	Multiburner (DVD-RW) Built-in/No FDD Gigabit ethernet on planar, Intel 82567	DVD-RW	DVD-RW	Multiburner(DVD-RW) Built-in / No FDD	Multiburner(DVD-RW) Built-in / No FDD
<b>LAN</b>	LM, Wake on LAN, ASF2.0, DASH 1.0	Integrated_Intel GIGA	Gigabit ethernet	Gigabit ethernet	Gigabit ethernet
<b>Audio</b>	High Defi nition (HD) Audio, Analog Devices AD1882 codec	Integrated Audio_ALC 662HD	High Defi nition (HD) Audio, Realtek ALC662 codec	High Defi nition (HD) Audio, Analog Devices AD1882 codec	High Defi nition (HD) Audio, Realtek ALC662 codec
<b>Graphics</b>	Intel Graphics Media Accelerator 4500 (GMA 4500)	Intel Graphics Media Accelerator 3100 (GMA 3100)	Intel Graphics Media Accelerator 3100 (GMA 3100)	Intel Graphics Media Accelerator 3100 (GMA 3100),	Intel Graphics Media Accelerator 3100 (GMA 3100),
<b>Expandable</b>	8ports (2front) 1xserail	Four USB 2.0(back), Two USB 2.0 (front)/ Two USB 2.0 planar connectors	Four USB 2.0(back), Two USB 2.0 (front) / Two USB 2.0 planar connectors	8ports (2front) 1xserail, 1xparallel	6ports (2front) 1xserail, 1xparallel
<b>Monitor</b>	L174 LCD 17" Monitor	L174 LCD 17" Monitor	L174 LCD 17" Monitor	L174 LCD 17" Monitor	L174 LCD 17" Monitor
<b>OS</b>	Vista Business	Vista Business	Vista Business (Preload XP Pro)	Vista Business	Vista Business
<b>Warranty</b>	3/3/3	3/3/3	3/3/3	3/3/3	3/3/3
<b>SRP</b>	35,900.-	27,000.-	26,800.-	39,500.-	33,500.-



SIS Distribution (Thailand) Public Company Limited  
Tel: 0-2640-3000 FAX 0-2643-0780  
Email address : sis@sisintl.com

สงวนลิขสิทธิ์ในเอกสารนี้ 7% : ผู้ขายจะรับประกันสินค้าตามสัญญาที่แนบมา  
สำหรับข้อมูลรายละเอียดกรุณาติดต่อฝ่ายบริการลูกค้า  
All Prices and Specification Subject To Change Without Prior Notice and Excluding Vat 7%

**Medium Tower**



**Veriton L460**  
A1K-V570CB72LE



**Veriton L460**  
A1K-V570C072ZE



**Veriton M261**  
A1K-V5400F37LE

**Veriton M261**  
A1K-V5400E36LE

<b>Processor</b>	<b>Intel C450 (2.2 GHz,512 KB L2 Cache,FSB800,EM64T)</b>	<b>Intel PDC E2200 (2.2 GHz,1MB L2 Cache,FSB800)</b>	<b>L460 Intel C2D E8400 (3.0 GHz, 6MB L2 Cache,FSB1333)</b>	<b>Intel C450 (2.2Ghz, 512K L2 Cache, FSB800, EM64T)</b>	<b>Intel C2D E4700 (2.6Ghz, 2MB L2 Cache, FSB800, EM64T)</b>
<b>Cache L2</b>	512 KB	1MB	6MB	512 KB	2MB
<b>Memory Std.</b>	<b>MEM 1GB DDRII 800 SoDIMM</b>	<b>MEM 1GB DDRII 800 SoDIMM</b>	<b>MEM 2x1GB DDRII 800 SoDIMM</b>	<b>MEM 1x1GB DDRII 667</b>	<b>MEM 1x1GB DDRII 667</b>
<b>Chipset</b>	-	-	-	-	-
<b>Harddisk</b>	<b>HDD 160GB SATA II 3 Gb/s</b>	<b>HDD 160GB SATA II 3 Gb/s</b>	<b>HDD 160GB SATA II 3 Gb/s</b>	<b>HDD 160GB SATA II 3 Gb/s</b>	<b>HDD 160 GB SATA II 3 Gb/s</b>
<b>CD-ROM</b>	<b>DVDRW Supermulti</b>	<b>DVD-RW 16X Supermulti</b>	<b>DVD-RW 16X Supermulti</b>	<b>SATA-DVDRW Supermulti Label Flash</b>	<b>SATA-DVDRW Supermulti Label Flash</b>
<b>LAN</b>	LAN on board 10/100/1000 Mbps, Wireless LAN 802.11 b/g(mini-card)	LAN on board 10/100/1000 Mbps, Wireless LAN 802.11 b/g(mini-card)	LAN on board 10/100/1000 Mbps, Wireless LAN 802.11 b/g(mini-card)	LAN on board 10/100/1000 Mbps	LAN on board 10/100/1000 Mbps
<b>Audio</b>	Embedded Intel HD Audio CODEC support 7.1 channel	Embedded high-defintion audio with 5.1 channel	Embedded high-defintion audio with 5.1 channel	Embedded Intel HD Audio CODEC support 7.1 channel	Embedded Intel HD Audio CODEC support 7.1 channel
<b>Graphics</b>	Integrated Intel Graphics Media Accelerator 3100	Integrated Intel Graphics Media Accelerator 3100	Integrated Intel Graphics Media Accelerator 3100	Integrated SiS Graphic	Integrated SiS Graphic
<b>Expandable</b>	8 USB 2.0 ports (4 front / 4 rear)	8 USB 2.0 ports (4 front / 4 rear)	8 USB 2.0 ports (4 front / 4 rear)	6 USB port (V2.0), 16 in 1 Card Reader	6 USB port (V2.0), 16 in 1 Card Reader
<b>Monitor</b>	<b>LCD 19 inch X193WAbd</b>	<b>LCD 19 inch X193WAbd</b>	<b>LCD 19 inch X193WAbd</b>	<b>LCD 17 inch V173Ab</b>	<b>LCD 17 inch V173Ab</b>
<b>OS</b>	<b>Linux</b>	<b>Windows Vista Business 32 bit</b>	<b>Windows Vista Business 32 bit</b>	<b>Linux</b>	<b>Linux</b>
<b>Warranty</b>	3 Year Parts/1 Year Labor/1 Year Onsite	3 Year Parts/1 Year Labor/1 Year Onsite	3 Year Parts/1 Year Labor/1 Year Onsite	3 Year Parts/1 Year Labor/1 Year Onsite	3 Year Parts/1 Year Labor/1 Year Onsite
<b>SRP</b>	<b>18,900.-</b>	<b>24,900.-</b>	<b>31,900.-</b>	<b>16,500.-</b>	<b>20,500.-</b>



SIS Distribution (Thailand) Public Company Limited  
Tel : 0-2640-3000 FAX 0-2643-0780  
Email address : sis@sisintl.com

สงวนลิขสิทธิ์ในเอกสารนี้ 7% : ผู้จำหน่ายสินค้าในร้านสามารถเพิ่มกำไรได้โดยไม่ต้องแจ้งให้ทราบล่วงหน้า  
All Prices and Specification Subject To Change Without Prior Notice and Excluding Vat 7%

**Medium Tower**



**Veriton M460**  
A1-V5200H09LE



**Veriton M460**  
A1-V5200H06LE



**Veriton M460**  
A1K-V5200G37ZE



**Veriton M460**  
A1K-V5200G39LE



**Veriton M461**  
A1K-V4800C96LE



**Veriton M461**  
A1K-V4800C43ZE

Processor	<b>Intel C450 (2.2 GHz,512 KB L2 Cache,FSB800)</b>	<b>Intel PDC E2220 (2.4Ghz,1MB L2 Cache,FSB800)</b>	<b>Intel PDC E2200 (2.2Ghz, 1MB L2 Cache,FSB800)</b>	<b>Intel C2D E7300 (2.66 Ghz, 3MB L2 Cache,FSB1333)</b>	<b>Intel C2D E4700 (2.6Ghz, 2MB L2 Cache FSB800)</b>	<b>Intel C2D E7300 (2.66Ghz, 3MB L2 Cache FSB1066)</b>
Cache L2	512 KB	1MB	1MB	3MB	2MB	3MB
Memory Std.	MEM 1x1GB DDRII 800	MEM 1x1GB DDRII 800	MEM 2x1GB DDRII 800	MEM 1x1GB DDRII 800	MEM 2x1GB DDRII 800	MEM 2x1GB DDRII 800
Chipset	-	-	-	-	-	-
Harddisk	<b>HDD 320 GB SATA II 3 Gb/s</b>	<b>HDD 320 GB SATA II 3 Gb/s</b>	<b>HDD 320 GB SATA II 3 Gb/s</b>	<b>HDD 160 GB SATA II 3 Gb/s</b>	<b>HDD 160 GB SATA II 3 Gb/s</b>	<b>HDD 320 GB SATA II 3 Gb/s</b>
CD-ROM	DVD-RW 16X Supermulti Label Flash	DVD-RW 16X Supermulti Label Flash	DVD-RW 16X Supermulti Label Flash	DVD-RW 16X Supermulti Label Flash	DVD-RW 16X Supermulti Label Flash	DVD-RW 16X Supermulti Label Flash
LAN	Lan 10/100/1000Mbps on board	Lan 10/100/1000Mbps on board	Lan 10/100/1000Mbps on board	Lan 10/100/1000Mbps on board	Lan 10/100/1000Mbps on board	Lan 10/100/1000Mbps on board
Audio	Embedded High Definition audio with 7.1 channel audio support	Embedded High Definition audio with 7.1 channel audio support	Embedded High Definition audio with 7.1 channel audio support	Embedded High Definition audio with 7.1 channel audio support	Embedded High Definition audio with 7.1 channel audio support	Embedded High Definition audio with 7.1 channel audio support
Graphics	Integrated Intel Graphics Media Accelerator 3100	Integrated Intel Graphics Media Accelerator 3100	Integrated Intel Graphics Media Accelerator 3100	Integrated Intel Graphics Media Accelerator 3100	Radeon 3450 256 MB VGA+ DVI+ HDMI port Graphic Card	Intel Graphics Media Accelerator 3100
Expandable	8 USB port (V2.0), Floppy Disk Drive	8 USB port (V2.0), Floppy Disk Drive	8 USB port (V2.0), Floppy Disk Drive, 16 in 1 media card reader	8 USB port (V2.0), Floppy Disk Drive, 16 in 1 media card reader	10 USB port (V2.0), Floppy Disk Drive	10 USB port (V2.0), Floppy Disk Drive, 16 in 1 media card reader
Monitor	<b>No Monitor</b>	<b>No Monitor</b>	<b>LCD 17 inch V173Ab</b>	<b>LCD 17 inch V173Ab</b>	<b>LCD 17 inch V173Ab</b>	<b>LCD 17 inch V173Ab</b>
OS	Linux	Linux	Windows Vista Business 32 bit	Windows Vista Business 32 bit	Linux	Windows Vista Business 32 bit
Warranty	3 Year Parts/1 Year Labor/1 Year Onsite	3 Year Parts/1 Year Labor/1 Year Onsite	3 Year Parts/1 Year Labor/1 Year Onsite	3 Year Parts/1 Year Labor/1 Year Onsite	3 Year Parts/1 Year Labor/1 Year Onsite	3 Year Parts/1 Year Labor/1 Year Onsite
SRP	<b>10,900.-</b>	<b>12,200.-</b>	<b>22,900.-</b>	<b>24,900.-</b>	<b>24,000.-</b>	<b>28,900.-</b>



SIS Distribution (Thailand) Public Company Limited  
Tel: 0-2640-3000 FAX 0-2643-0780  
Email address: sis@sisintl.com

สงวนลิขสิทธิ์ในข้อมูลสินค้าและบริการ  
All Prices and Specification Subject to Change Without Prior Notice and Excluding Vat 7%



**Medium Tower**



**Veriton M661**  
A1K-V4500A70ZE

**Veriton M661**  
A1K-V4500C42ZE

**Veriton S661**  
A1K-V4600C13ZE

**Veriton S661**  
A1K-V4600C14ZE

**Veriton M670G**  
A1K-V6500001ZE

**Veriton M670G**  
A1K-V4400A36ZE

	<b>Veriton M661</b> A1K-V4500A70ZE	<b>Veriton M661</b> A1K-V4500C42ZE	<b>Veriton S661</b> A1K-V4600C13ZE	<b>Veriton S661</b> A1K-V4600C14ZE	<b>Veriton M670G</b> A1K-V6500001ZE	<b>Veriton M670G</b> A1K-V4400A36ZE
<b>Processor</b>	<b>Intel C2D E8400 (3.0Ghz, 6MB L2 Cache FSB1333)</b>	<b>Intel C2Q Q8200 (2.33Ghz, 4MB L2 Cache,FSB1333)</b>	<b>Intel C2D E4700 (2.6Ghz, 2MB L2 Cache FSB800)</b>	<b>C2Q Q9300 (2.5Ghz, 6MB L2 Cache FSB1333)</b>	<b>Intel C2D E8500 (3.16Ghz, 6MB L2 Cache,FSB1333)</b>	<b>Intel C2Q Q9550 (2.83Ghz, 12MB L2 Cache,FSB1333)</b>
<b>Cache L2</b>	6MB	4MB	2MB	6MB	6MB	12MB
<b>Memory Std.</b>	<b>MEM 2x1GB DDRII 800</b>	<b>MEM 2x2GB DDRII 800</b>	<b>MEM 2x1GB DDRII 800</b>	<b>MEM 2x1GB DDRII 667</b>	<b>MEM 2x2GB DDRIII 1066</b>	<b>MEM 2x2GB DDRIII 1066</b>
<b>Chipset</b>	-	-	-	-	-	-
<b>Harddisk</b>	<b>HDD 320 GB SATA II 3 Gb/s</b>	<b>HDD 320 GB SATA II 3 Gb/s</b>	<b>HDD 160 GB SATA II 3 Gb/s</b>	<b>HDD 320 GB SATA II 3 Gb/s</b>	<b>HDD 500 GB SATA II 3 Gb/s</b>	<b>HDD 500 GB SATA II 3 Gb/s</b>
<b>CD-ROM</b>	SATA-DVDRW Supermulti Label Flash	DVD-RW 16X Supermulti Label Flash	SATA-DVDRW Supermulti Label Flash	SATA-DVDRW Supermulti Label Flash	DVD-RW 16X Supermulti Label Flash	DVD-RW 16X Supermulti Label Flash
<b>LAN</b>	Lan 10/100/1000Mbps on board	Lan 10/100/1000Mbps on board	Lan 10/100/1000Mbps on board	Lan 10/100/1000Mbps on board	Lan 10/100/1000Mbps on board	Lan 10/100/1000Mbps on board
<b>Audio</b>	Embedded High Definition audio with 7.1 channel surround sound ready (stereo)	Embedded High Definition audio with 7.1 channel surround sound ready (stereo)	Embedded High Definition audio with 7.1 channel surround sound ready (stereo)	Embedded High Definition audio with 7.1 channel surround sound ready (stereo)	Embedded High Definition audio with 7.1 channel surround sound ready (stereo)	Embedded High Definition audio with 7.1 channel surround sound ready (stereo)
<b>Graphics</b>	Integrated Intel Graphics Media Accelerator 3100	Radeon 3650 512 MB VGA+ DVI+ HDMI port Graphic Card	Integrated Intel Graphics Media Accelerator 3100	Integrated Intel Graphics Media Accelerator 3100	Integrated Intel Graphic Media Accelerator 4500	Radeon 3650 512 MB VGA+ DVI+ HDMI port Graphic Card
<b>Expandable</b>	10 USB port (V2.0)	10 USB port (V2.0), Floppy Disk Drive	10 USB port (V2.0)	10 USB port (V2.0)	10 USB port (V2.0), Floppy Disk Drive	10 USB port (V2.0), Floppy Disk Drive
<b>Monitor</b>	<b>LCD 17 inch V173Ab</b>	<b>LCD 17 inch V173Ab</b>	<b>LCD 17 inch V173Ab</b>	<b>LCD 17 inch V173Ab</b>	<b>LCD 17 inch V173Ab</b>	<b>LCD 17 inch V173Ab</b>
<b>OS</b>	<b>Windows Vista Business</b>	<b>Windows Vista Business</b>	<b>Windows Vista Business</b>	<b>Windows Vista Business</b>	<b>Windows Vista Business 32 bit</b>	<b>Windows Vista Business 32 bit</b>
<b>Warranty</b>	3 Year Parts/3 Year Labor/3 Year Onsite	3 Year Parts/3 Year Labor/3 Year Onsite	3 Year Parts/3 Year Labor/3 Year Onsite	3 Year Parts/3 Year Labor/3 Year Onsite	3 Year Parts/3 Year Labor/3 Year Onsite	3 Year Parts/3 Year Labor/3 Year Onsite
<b>SRP</b>	<b>30,900.-</b>	<b>35,900.-</b>	<b>27,900.-</b>	<b>35,900.-</b>	<b>39,500.-</b>	<b>44,500.-</b>

SIS  
TEL: 0-2640-3000 FAX: 0-2643-0780  
Email address: sis@sisthai.com

sis Distribution (Thailand) Public Company Limited  
สงวนลิขสิทธิ์ในข้อมูลสินค้าและบริการ 7% : ผู้จำหน่ายสินค้าและบริการมีหน้าที่ในการแจ้งให้ผู้บริโภคทราบถึงรายละเอียดของสินค้าและบริการที่ตนจำหน่ายอยู่  
All Prices and Specification Subject to Change Without Prior Notice and Excluding Vat 7%