

HP Business PC

รูปตัวอย่าง
(HP Integrated Work Centre Stand & Monitor เป็น Option 135฿)



Exclusive model @ sis

NEW



dx2310
C1-NA138PA#AKL

dx2310
C1-NA139PA#AKL

dx2310MT
C1-NA140PA#AKL


dx7400MT
C1-FX768PA#AKL

dx7500 MT
C1-NR914PA#AKL

| Processor | Intel Pentium Dual-Core E2200 processor (2.2GHz) | Core 2 Duo E7300 processor (2.66GHz) | Intel Core 2 Duo E8400 Processor (3.0 GHz) | Core 2 Duo E8400 Processor (3.0 GHz) | Intel Core 2 Duo E8400 Processor (3.0-GHz) |
|-------------|---|--|---|--|--|
| Cache L2 | 1MB L2 Cache, 800MHz FSB | 3MB L2 Cache, 1066MHz FSB | 6MB L2 Cache, 1333MHz FSB | 6MB L2 Cache, 1333MHz FSB | 6 MB L2 cache, 1333-MHz FSB |
| Memory Std. | 1x1GB PC2-6400 (DDR2-800) Memory (2 DIMM slots up to 4GB) | 1x2GB PC2-6400 (DDR2-800) Memory (2 DIMM slots up to 4GB) | 1x2GB PC2-6400 (DDR2-800) Memory (2 DIMM slots up to 4GB) | 1x2GB PC2-6400 (DDR2-800) (4 DIMM slots) | 2x 1GB PC2-6400 (DDR2-800) Memory (4 DIMM slots up to 16GB) |
| Chipset | Intel G31 Express chipset | Intel G31 Express chipset | Intel G31 Express chipset | Intel Q33 Express Chipset | Intel G45 Express Chipset |
| Harddisk | 160GB SATA NCQ HDD SMART | 250GB SATA NCQ HDD SMART | 320GB SATA NCQ HDD SMART | 250GB SATA NCQ HDD SMART IV | 320GB SATA NCQ HDD SMART IV 1st |
| CD-ROM | SATA 16X SuperMulti LghtScribe 1st No SW | SATA 16X SuperMulti LghtScribe 1st No SW | SATA 16X SuperMulti LghtScribe 1st No SW | SATA 16X SuperMulti LightScribe | SATA 16X SuperMulti LghtScribe 1st Drv, HP 22-in-1 3.5" Media Card Reader |
| LAN | Integratd Realtek 811 C-VB-R Gigabit Ethernet | Integratd Realtek 811 C-VB-R Gigabit Ethernet | Integratd Realtek 811 C-VB-R Gigabit Ethernet | Broadcom NetXtreme GbE PCIe Card | Intel Integrated 82567LM Gigabit Network Connection |
| Audio | Realtek ALC662 High Definition audio codec, 3D audio compliant | Realtek ALC662 High Definition audio codec, 3D audio compliant | Realtek ALC662 High Definition audio codec, 3D audio compliant | Integrated Realtek ALC888 Audio | Integrated Realtek ALC888S Audio |
| Graphics | Intel Graphics Media Accelerator 3100 | Intel Graphics Media Accelerator 3100 | Intel Graphics Media Accelerator 3100 | PCIEGrphc Card NVidia GF 8400GS 256MB SH | Intel Graphics Media Accelerator X4500HD with DX10 support |
| Expandable | 6 USB 2.0 ports, 2 PS/2, 1 RJ-45, 1 VGA, 1 parallel, 1 serial, 1 audio in, 1 audio out , 1 MIC,(2) Full hight PCI 2.3 Slots, (1) full hight PCIe x 1 Slot | 6 USB 2.0 ports, 2 PS/2, 1 RJ-45, 1 VGA, 1 parallel, 1 serial, 1 audio in, 1 audio out, 1 MIC,(2) Full hight PCI 2.3 Slots, (1) full hight PCIe x 1 Slot, full hight PCIe x16 Slot | 6 USB 2.0 ports, 2 PS/2, 1 RJ-45, 1 VGA, 1 parallel, 1 serial, 1 audio in, 1 audio out , 1 MIC,(2) Full hight PCI 2.3 Slots, (1) full hight PCIe x 1 Slot | (2) USB 2.0 ports, audio ports,(6) USB 2.0 ports, (1) serial port, (1) optional second serial port, (1) parallel port, (2) PS/2, (1) RJ-45 | Rear I/O: (4) USB 2.0 ports, (2) PS/2, (1) RJ-45, (1) 1394, (1) VGA, Front I/O: (3) USB 2.0 ports, (1MIC - (1) audio out (Headphone), (1) 1394,(3) PCIe x1 slots |
| Monitor | No Monitor | No Monitor | No Monitor | No Monitor | No Monitor |
| OS | FreeDOS SW | FreeDOS SW | FreeDOS SW | Vista Business, Thai | FreeDOS |
| Warranty | 1-1-1 warranty MT (optional warranty extensions available) | 1-1-1 warranty MT (optional warranty extensions available) | 1-1-1 warranty MT (optional warranty extensions available) | 3-3-3 MT Warranty | 3-3-3 warranty MT |
| SRP | 10,900.- | 13,900.- | 16,900.- | 25,900.- | 18,900.- |

| HP Option for PC (Commercial Monitor) | SRP |
|--|--------|
| C1-GV537AA#AKL w17e 17" wide LCD Monitor | 6,200 |
| C1-FM745AA#AUL w15e 15" wide LCD Monitor | 5,200 |
| C1-GS917AA#AKL L1710 17" LCD Monitor | 7,200 |
| C1-GF904AA#AKL HP L1750 17" LCD Monitor | 9,300 |
| C1-GS918AA#AKL L1910 19" LCD Monitor | 9,400 |
| C1-KR145AA#AKL 1950g 19" LCD Monitor | 8,300 |
| C1-GP536AA#AKL HP L1908w 19" wide LCD Monitor | 7,200 |
| C1-KA214AA#AKL HP L1908wm 19" wide LCD Monitor | 9,400 |
| C1-RB145AA#AKL L2045w 20" wide LCD Monitor | 14,400 |
| C1-GX007AA#AKL L2208w 22" wide LCD Monitor | 10,800 |
| C1-FL472AA#AKL L2245w 22" wide LCD Monitor | 11,400 |

| P/N | THIN CLIENT | SRP |
|----------------|------------------------------------|--------|
| C1-KD219AA#AKL | t5730 XPE S2100 1GF/512R TC THAI | 14,900 |
| C1-GY227AA#AKL | t5730 S2100 1GF/1GR TC THAI | 15,900 |
| C1-GY229AA#AKL | t5730 S2100 1GF/512R wifi row THAI | 15,900 |
| C1-GY231AA#AKL | t5735 S2100 1GF/512R TC THAI | 11,900 |
| C1-FQ800AA#AKL | t5145 LNX 500MHZ 128F/512R TC THAI | 8,700 |
| C1-FQ798AA#AKL | t5545 LNX 1.0GHz 512F/512R TC THAI | 9,800 |
| C1-FQ799AA#AKL | t5540 CE 800MHZ 128F/512R TC THAI | 10,900 |
| C1-FY267AA#AKL | t5630 XPE 1GHZ 1GF/512R TC THAI | 12,700 |
| C1-FQ801AA#AKL | t5630 XPe 1GHZ 1GF/1GR TC THAI | 13,200 |



OFFICE PC

SIS Distribution (Thailand) Public Company Limited
Tel: 0-2640-3000 Fax: 0-2643-0780
Email address: sis@sisthai.com

สงวนลิขสิทธิ์ในข้อมูลสินค้าและบริการ
All Prices and Specification Subject to Change Without Prior Notice and Excluding Vat 7%

HP Business PC

รูปตัวอย่าง
(HP integrated Work Centre Stand
& Monitor เป็น Option ใจSu)



dx7500 MT
C1-NA144PA#AKL

dx7500MT
C1-NA145PA#AKL

dx7500MT
C1-NA146PA#AKL

dc5800MT
C1-FX770PA#AKL

dc5800MT
C1-FX769PA#AKL

| Processor | Core 2 Duo E7300 processor (2.66GHz) | Intel Core 2 Duo E8400 Processor (3.0 GHz) | Intel Core 2 Quad Q8200 processor (2.33 GHz) | Intel Core 2 Duo E7200 processor (2.53GHz) | Core 2 Duo E8400 Processor (3.0 GHz) |
|-------------|---|--|---|---|---|
| Cache L2 | 3MB L2 Cache ,1066MHz FSB | 6MB L2 Cache ,1333MHz FSB | 4MB L2 Cache ,1333MHz FSB | 3MB L2 Cache ,800MHz FSB | 6MB L2 Cache ,1333MHz FSB |
| Memory Std. | 2x 1GB PC2-6400 (DDR2-800) Memory (4 DIMM slots up to 16GB) | 2x 1GB PC2-6400 (DDR2-800) Memory (4 DIMM slots up to 16GB) | 2x 1GB PC2-6400 (DDR2-800) Memory (4 DIMM slots up to 16GB) | 1x2GB PC2-6400 (DDR2-800) Memory (4 DIMM slots) | 3x1GB PC2-6400 (DDR2-800) |
| Chipset | Intel G45 Express Chipset | Intel G45 Express Chipset | Intel G45 Express Chipset | Intel Q33 Express | Intel Q33 Express |
| Harddisk | 250GB SATA NCQ HDD SMART | 320GB SATA NCQ HDD SMART | 320GB SATA NCQ HDD SMART | 250GB SATA NCQ HDD SMART | 250GB SATA NCQ HDD SMART |
| CD-ROM | SATA 16X SuperMulti LghtScribe 1st Drv | SATA 16X SuperMulti LghtScribe 1st Drv | SATA 16X SuperMulti LghtScribe 1st Drv | SATA 16X/48X DVD-ROM 1st Drive No SW | SATA 16X SuperMulti LightScribe 1st Driv |
| LAN | Intel Integrated 82567LM Gigabit Network Connection | Intel Integrated 82567LM Gigabit Network Connection | Intel Integrated 82567LM Gigabit Network Connection | Broadcom NetXtreme GbE PCIe Card | Broadcom NetXtreme GbE PCIe Card |
| Audio | Integrated Realtek ALC888S Audio | Integrated Realtek ALC888S Audio | Integrated Realtek ALC888S Audio | Integrated High Definition audio with ADI1884 codec | Integrated High Definition audio with ADI1884 codec |
| Graphics | Intel Graphics Media Accelerator X4500HD | Intel Graphics Media Accelerator X4500HD | ATI Radeon 3470 256MB | Intel Graphics Media Accelerator 3100 integrated graphics | NV Qdro NVS 290 256MB DH |
| Expandable | Rear I/O: (4) USB 2.0 ports, (2) PS/2, (1) RJ-45, (1) 1394, (1) VGA, Front I/O: (3) USB 2.0 ports, (1MIC – (1) audio out , (1) 1394,(3) PCIe x1 slots | Rear I/O: (4) USB 2.0 ports, (2) PS/2, (1) RJ-45, (1) 1394, (1) VGA, Front I/O: (3) USB 2.0 ports, (1MIC – (1) audio out , (1) 1394,(3) PCIe x1 slots, (1) PCIe x16 slot | SH PCIe Card - 1st Rear I/O: (4) USB 2.0 ports, (2) PS/2, (1) RJ-45, (1) 1394, (1) VGA, Front I/O: (3) USB 2.0 ports, audio out | Front I/O: (2) USB 2.0, Rear I/O: (6) USB 2.0, (1) standard serial port, (1) optional serial port, (2) PS/2 | PCIex16 1st Crd Front I/O: (2) USB 2.0, Rear I/O: (6) USB 2.0 , (1) standard serial port, (1) optional serial port |
| Monitor | No Monitor | No Monitor | No Monitor | No Monitor | No Monitor |
| OS | Windows Vista Home Basic (Thai Version) | Windows Vista Custom Downgrade to XP Pro | Windows Vista Custom Downgrade to XP Pro | Vista Custom Downgrade XP | Vista Business - Downgrade |
| Warranty | 1-1-1 warranty MT | 3-3-3 warranty MT | 3-3-3 warranty MT | 3-3-3 MT Warranty | 3-3-3 MT Warranty |
| SRP | 17,900.- | 22,900.- | 26,900.- | 22,900.- | 29,900.- |

SIS Distribution (Thailand) Public Company Limited
 TEL: 0-2640-3000 FAX: 0-2643-0780
 Email address : sis@sisthai.com
 ราคาจำหน่ายทั้งหมดยกเว้นโปรแกรมลิขสิทธิ์ 7% : ราคานี้รวมค่าขนส่งและค่าติดตั้งตามรายการแล้ว
 ราคาที่ระบุไว้เป็นราคาแนะนำเท่านั้น ราคานี้รวมค่าขนส่งและค่าติดตั้งตามรายการแล้ว
 All Prices and Specification Subject to Change Without Prior Notice and Excluding Vat 7%

PC PRODUCTS
 SUGGESTED RETAIL PRICE : March 2009

HP Business PC

ศูนย์รวม
(HP integrated Work Centre Stand
& Monitor เป็น Option ใจSu)



dc7900SFF
C1-NA142PA#AKL



NEW
dc7900SFF
C1-NA143PA#AKL

NEW


dc7900USDT
C1-NA141PA#AKL

| | | | | |
|-------------|---|--|--|--|
| Processor | Intel Core 2 Quad Q8200 processor (2.33 GHz) | Core 2 Quad Q9550 processor (2.83 GHz) | Intel Core 2 Duo E8500 processor (3.16 GHz) | |
| Cache L2 | 4MB L2 Cache ,1333MHz FSB | 12MB L2 Cache ,1333MHz FSB | 6MB L2 Cache ,1333MHz FSB | |
| Memory Std. | 1x 2GB PC2-6400 DDR2-800 SODIM (4 DIMM slots up to 16GB) | 4x1GB PC2-6400 (DDR2-800) (4 DIMM slots up to 16GB) | 1x 2GB PC2-6400 DDR2-800 SODIM (2 DIMM slots up to 8GB) | |
| Chipset | Intel Q45 Express chipset | Intel Q45 Express chipset | Intel Q45 Express chipset | |
| Harddisk | 320GB 7200RPM SATA NCQ/SMART | 500GB 7200RPM SATA NCQ/SMART | 250GB 7200RPM SATA NCQ/SMART | |
| CD-ROM | SATA 16X SuperMulti | SATA 16X SuperMulti LghtScribe 1st Drive | Slim SATA 8X SuperMulti LghtScribe Driv | |
| LAN | LghtScribe 1st Drv Broadcom NetXtreme Gigabit | Broadcom NetXtreme Gigabit Ethernet Plus PCIe NIC | Broadcom NetXtreme Gigabit Ethernet Plus PCIe NIC | |
| Audio | Ethernet Plus PCIe NIC Integrated HD audio with AD1884A codec | Integrated HD audio with AD1884A codec | Integrated HD audio with AD1884A codec | |
| Graphics | NVIDIA Quadro NVS 290 256MB | NVIDIA Quadro NVS 290 256MB dual head graphics adapter | Intel GMA 4500 DirectX 10 graphics | |
| Expandable | dual head graphics adapterFront I/O: (2) USB 2.0, headphone and microphone, Rear I/O: (6) USB 2.0, (1) serial port, (2) | Front I/O: (2) USB 2.0, headphone and microphone,Rear I/O: (6) USB 2.0, (1) serial port, PS/2, (1) RJ-45, (1) VGA port | Front I/O: (2) USB 2.0, headphone and microphone,Rear I/O: (6) USB 2.0, (1) DisplayPort, (2) PS/2, (1) RJ-45 | |
| Monitor | PS/2, (1) RJ-45, (1) VGA port | No Monitor | No Monitor | |
| OS | No Monitor Windows Vista Custom Downgrade to XP Pro | Windows Vista Custom Downgrade to XP Pro (Thai Version) | Windows Vista Custom Downgrade to XP Pro (Thai Version) | |
| Warranty | HP (3-3-3) dc7800 SFF Warranty | 5-5-5 (SFF) warranty | 3-3-3 MT Warranty USDT | |
| Free | | | | |
| SRP | 32,500.- | 39,900.- | 30,900.- | |



SIS Distribution (Thailand) Public Company Limited
TEL: 0-2640-3000 FAX: 0-2643-0780
Email address: sis@sisthai.com

ราคาจำหน่ายทั้งหมดรวมภาษีและค่าธรรมเนียม 7% : บริษัทขอสงวนสิทธิ์ในการเปลี่ยนแปลงราคาโดยไม่ต้องแจ้งให้ทราบล่วงหน้า
All Prices and Specification Subject to Change Without Prior Notice and Excluding Vat 7%



Medium Tower



ThinkCenter A61 AMD
L5K-9143AE8



ThinkCenter A57e (Tower)
L5K-6306RZ7

ThinkCenter A57 (Tower)
L5K-9702RW1



ThinkCenter M57/SFF
L5K-6072FAT

ThinkCenter M58/SFF
L5K-7360RW7

| | ThinkCenter A61 AMD L5K-9143AE8 | ThinkCenter A57e (Tower) L5K-6306RZ7 | ThinkCenter A57 (Tower) L5K-9702RW1 | ThinkCenter M57/SFF L5K-6072FAT | ThinkCenter M58/SFF L5K-7360RW7 |
|--------------------|---|--|---|--|---|
| Processor | Athlon64 X2 4400 2.3Ghz | Intel ATOM 230 1.6 GHz | Pentium Dual Core E2200 (2.2Ghz) | Pentium Dual Core E2200 (2.2Ghz) | Core 2 Duo E7300 2.66Ghz/ 3MB L2 Cache |
| Cache L2 | 2x512KB | 512KB | 1MB | 1MB | 3MB |
| Memory Std. | 1024GB/8GB | 1024 MB DDR 2 667 MHz/4GB max /1 Dimms | 1024 MB DDR 2 667 MHz/4GB max /2 Dimms | 1024 MB DDR 2 667 MHz/4GB max /2 Dimms | 1x1024MB PC-3 800Mhz/8GB (4Dimms) |
| Chipset | AMD 690G Chipset | 945GC+ICH7 | Intel G31 | Intel G31 | Intel Q45 Express Chipset |
| Harddisk | 250GB 7200Rpm | 160GB SATA II 7200 rpm | 250GB SATA II 7200 rpm | 160 GB SATA II 7200 rpm | 250GB 7200Rpm |
| Optical | DVD-RW | DVD-RW | DVD-RW | DVD-RW | Multiburner (DVD-RW) Built-in/No FDD |
| LAN | Gigabit Ethernet | Realtek RTL8102E 10/100M Lan | Gigabit ethernet on planar, Marvell 88E8056, PCIe x1, Wake on LAN | Gigabit ethernet on planar, Intel 82566DM, PCIe x1, Wake on LAN, ASF2.0 | Gigabit ethernet on planar, Intel 82567 LM, Wake on LAN, ASF2.0, DASH 1.0 |
| Audio | High Defi nition (HD) Audio, ALC888 codec | High Defi nition (HD) Audio, Realtek ALC662 codec | High Defi nition (HD) Audio, Realtek ALC662 codec | High Defi nition (HD) Audio, Realtek ALC662 codec | High Defi nition (HD) Audio Analog Devices AD1882 codec |
| Graphics | ATI Radeon X1250, integrated graphics in 690G | Intel GMA 950 | Intel Graphics Media Accelerator 3100 (GMA 3100) | Intel Graphics Media Accelerator 3100 (GMA 3100) | Intel Graphics Media Accelerator 4500 (GMA 4500) |
| Expandable | 6ports (2front) 1xserail, 1xparallel | Four USB 2.0(back), Two USB 2.0 (front)/ Two USB 2.0 planar connectors (one used; one open for media reader) | Four USB 2.0(back), Two USB 2.0 (front) / Two USB 2.0 planar connectors (one used; one open for media reader) | Six USB 2.0(back), Two USB 2.0 (front) / Two USB 2.0 planar connectors (one used; one open for media reader) | 8ports (2front) 1xserail |
| Monitor | - Dos | L174 LCD 17" Monitor | L174 LCD 17" Monitor | L174 LCD 17" Monitor | L174 LCD 17" Monitor |
| OS | | Dos | Dos | Dos | Vista Business |
| Warranty | 3/3/3 | 1/1/1 | 1/1/1 | 3/3/3 | 3/3/3 |
| SRP | Call | 15,750.- | 18,400.- | 20,000.- | 31,200.- |



SIS Distribution (Thailand) Public Company Limited
Tel. 0-2640-3000 FAX 0-2643-0780
Email address : sis@sisintl.com

สงวนลิขสิทธิ์ในเอกสารนี้ 7% : ผู้ขายจะรับประกันสินค้าตามสัญญาที่แนบมาและจะไม่รับผิดชอบต่อสินค้าที่เสียหายหรือสูญหาย
สงวนลิขสิทธิ์ในเอกสารนี้ 7% : ผู้ขายจะรับประกันสินค้าตามสัญญาที่แนบมาและจะไม่รับผิดชอบต่อสินค้าที่เสียหายหรือสูญหาย

All Prices and Specification Subject To Change Without Prior Notice and Excluding Vat 7%

Medium Tower



ThinkCenter M58
(Tower)
L5K-7484RR7



ThinkCentre M57e
(Small Form Factor)
L5-9952CTO#1



ThinkCentre M57e
(Tower)
L5K-9439EKT



ThinkCenter A57
(Tower)
L5-9851AD6

| | | | | | |
|--------------------|---|--|---|---|--|
| Processor | Core 2 Duo E8400 3GHz/ 6MB L2 Cache | Pentium Core 2 Duo E7300 (2.66Ghz) | Pentium Core 2 Duo E7300 (2.66 Ghz) | Core 2 Quad Q9300 (2.5Ghz/1333Mhz) | Core 2 Quad Q6600 (2.4Ghz/1066Mhz) |
| Cache L2 | 6MB | 3MB | 3MB | 6MB | 8MB |
| Memory Std. | 1x1024MB PC-3 800Mhz/8GB (4Dimms) | 1024 MB DDR 2 667 MHz/4GB max /2 Dimms | 1024 MB DDR 2 667 MHz/4GB max /2 Dimms | 2x1024MB PC-2 667Mhz/8GB (4 Dimms) | 2x1024MB PC-2 667Mhz/4GB (2 Dimms) |
| Chipset | Intel Q45 Express Chipset | Intel G31 | Intel G31 | Q35 | G31 |
| Harddisk | 250GB 7200Rpm | 250 GB SATA II 7200 rpm | 160 GB SATA II 7200 rpm | 320GB 7200Rpm | 320GB 7200Rpm |
| CD-ROM | Multiburner (DVD-RW) Built-in/No FDD Gigabit ethernet on planar, Intel 82567 | DVD-RW | DVD-RW | Multiburner(DVD-RW) Built-in / No FDD | Multiburner(DVD-RW) Built-in / No FDD |
| LAN | LM, Wake on LAN, ASF2.0, DASH 1.0 | Integrated_Intel GIGA | Gigabit ethernet | Gigabit ethernet | Gigabit ethernet |
| Audio | High Defi nition (HD) Audio, Analog Devices AD1882 codec | Integrated Audio_ALC 662HD | High Defi nition (HD) Audio, Realtek ALC662 codec | High Defi nition (HD) Audio, Analog Devices AD1882 codec | High Defi nition (HD) Audio, Realtek ALC662 codec |
| Graphics | Intel Graphics Media Accelerator 4500 (GMA 4500) | Intel Graphics Media Accelerator 3100 (GMA 3100) | Intel Graphics Media Accelerator 3100 (GMA 3100) | Intel Graphics Media Accelerator 3100 (GMA 3100), | Intel Graphics Media Accelerator 3100 (GMA 3100), |
| Expandable | 8ports (2front) 1xserail | Four USB 2.0(back), Two USB 2.0 (front)/ Two USB 2.0 planar connectors | Four USB 2.0(back), Two USB 2.0 (front) / Two USB 2.0 planar connectors | 8ports (2front) 1xserail, 1xparallel | 6ports (2front) 1xserail, 1xparallel |
| Monitor | L174 LCD 17" Monitor | L174 LCD 17" Monitor | L174 LCD 17" Monitor | L174 LCD 17" Monitor | L174 LCD 17" Monitor |
| OS | Vista Business | Vista Business | Vista Business (Preload XP Pro) | Vista Business | Vista Business |
| Warranty | 3/3/3 | 3/3/3 | 3/3/3 | 3/3/3 | 3/3/3 |
| SRP | 35,900.- | 27,000.- | 26,800.- | 39,500.- | 33,500.- |



SIS Distribution (Thailand) Public Company Limited
Tel: 0-2640-3000 FAX 0-2643-0780
Email address : sis@sisfhd.com

สงวนลิขสิทธิ์ในเอกสารนี้ 7% : ผู้ขายจะรับประกันสินค้าตามสัญญาที่แนบมา
สำหรับข้อมูลรายละเอียดกรุณาติดต่อฝ่ายบริการลูกค้า
All Prices and Specification Subject To Change Without Prior Notice and Excluding Vat 7%

Acer Veriton



NEW

Veriton M670G
A1K-V6500039ZE



NEW

Veriton M670G
A1K-V6500040ZE



NEW

Veriton S670G
A1K-V6600015ZE



NEW

Veriton S670G
A1K-V6600018ZE

Veriton X270
A1K-V740C001ZE

| | | | | | |
|--------------------------|--|--|--|--|--|
| Processor | Intel Core 2 Duo Processor E8500 (3.16Ghz,6Mhz L2 Cache, 1333 Mhz FSB) | Intel Core 2 Quad Processor Q9550 (2.83Ghz,12MB L2 Cache, 1333 Mhz FSB) | Intel Core 2 Duo Processor E8400 (3.0Ghz,6Mhz L2 Cache, 1333 Mhz FSB) | Intel Core 2 Quad Processor Q9400 (2.6Ghz,12MB L2 Cache, 1333 Mhz FSB) | Intel Pentium Dual Core Processor E5200 (2.5Ghz, 2MB L2 Cache, 800 Mhz FSB) |
| Chipset | Intel Q45 Express Chipset | Intel Q45 Express Chipset | Intel Q45 Express Chipset | Intel Q45 Express Chipset | NVIDIAI Geforce 7100 & nForce 630iChipset |
| Memory | 2x2 GB DDR III 1066 Mhz | 2x2GB DDRIII 1066 Mhz | 2x2 GB DDR III 1066 Mhz | 2x2GB DDRIII 1066 Mhz | 1x2GB DDRII 800 Mhz |
| Hard disk | 320 Gb Sata II 3 gb/s | 640 Gb Sata II 3 gb/s | 160 Gb Sata II 3 gb/s | 320 Gb Sata II 3 gb/s | 320 Gb Sata II 3 gb/s |
| Optical Drive | DVD-RW 16X Supermulti Label Flash & Disc Technology | DVD-RW 16X Supermulti Label Flash & Disc Technology | DVD-RW 16X Supermulti Label Flash & Disc Technology | DVD-RW 16X Supermulti Label Flash & Disc Technology | DVD-RW 16X Supermulti Label Flash & Disc Technology |
| Floppy Drive | Floppy Disk Drive | Floppy Disk Drive | Floppy Disk Drive | Floppy Disk Drive | Floppy Disk Drive, Multi in one card reader |
| Audio | Embedded high-defintion audio with 7.1 channel | Embedded high-defintion audio with 7.1 channel | Embedded high-defintion audio with 7.1 channel | Embedded high-defintion audio with 7.1 channel | Embedded high-defintion audi with 5.1 channel |
| Network | Gigabit Ethernet Lan on board | Gigabit Ethernet Lan on board | Gigabit Ethernet Lan on board | Gigabit Ethernet Lan on board | Gigabit Ethernet Lan on board |
| Graphics | Integrated Intel Graphic Media Accelerator 4500 | Radeon 3650 512 MB VGA+ DVI+ HDMI port Graphic Card | Integrated Intel Graphic Media Accelerator 4500 | Radeon 3650 512 MB VGA+ DVI+ HDMI port Graphic Card | Integrated NVIDIA Geforce 7100 Graphics |
| PCI Slots | One full height PCI Express 2.0 x16, One full height PCI Express2.0 x1, Two full height PCI 2.3 slot | One full height PCI Express 2.0 x16, One full height PCI Express2.0 x1, Two full height PCI 2.3 slot | One full height PCI Express 2.0 x16, One full height PCI Express2.0 x1, Two full height PCI 2.3 slot | One full height PCI Express 2.0 x16, One full height PCI Express2.0 x1, Two full height PCI 2.3 slot | One low profile PCI Express x16, One low profile PCI Express x1, |
| Interfaces | 10 USB 2.0 port | 10 USB 2.0 port | 10 USB 2.0 port | 10 USB 2.0 port | 9 USB 2.0 port |
| Power Supply | 300 Watt | 300 Watt | 300 Watt | 300 Watt | 220 Watt |
| OS | Windows Vista Business 32 bit | Windows Vista Business 32 bit | Windows Vista Business 32 bit | Windows Vista Business 32 bit | Windows Vista Business 32 bit |
| Monitor | LCD 17" | LCD 17" | LCD 17" | LCD 17" | LCD 19" Wide Screen |
| Warranty | 3 Year Parts/3 Year Labor/3 Year Onsite | 3 Year Parts/3 Year Labor/3 Year Onsite | 3 Year Parts/3 Year Labor/3 Year Onsite | 3 Year Parts/3 Year Labor/3 Year Onsite | 3 Year Parts/1 Year Labor/1 Year Onsite |
| Special Promotion | | | | | |
| SRP | 31,500.- | 40,900.- | 30,900.- | 37,900.- | 20,900.- |



SIS Distribution (Thailand) Public Company Limited
Tel. 0-2640-3000 FAX 0-2643-0780
Email address : sis@sisintl.com

สงวนลิขสิทธิ์ในเอกสารนี้ 7% : ผู้จำหน่ายสินค้าและบริการในเอกสารนี้
สงวนลิขสิทธิ์ในเอกสารนี้ 7% : ผู้จำหน่ายสินค้าและบริการในเอกสารนี้

All Prices and Specification Subject to Change Without Prior Notice and Excluding Vat 7%

Acer Veriton



NEW

Veriton M460
A1K-V5200I09ZE



NEW

Veriton M460
A1K-V5200G39ZE



Hot Price !!

Veriton L460
A1K-V570C072ZE



Hot Price !!

Veriton L460
A1K-V570CD72ZE

| | | | | | |
|--------------------------|---|---|---|--|--|
| Processor | Intel Pentium Dual Core Processor E2220 (2.4Ghz, 2MB L2 Cache, 800 Mhz FSB) | Intel Core 2 Duo Processor E7300 (2.66 Ghz, 3MB L2 Cache, 1066 Mhz FSB) | Intel Pentium Dual Core Processor E2200 (2.2Ghz, 1MB L2 Cache, 800 Mhz FSB) | Intel Core 2 Duo Processor E8400 (3.0 Ghz, 6MB L2 Cache, 1333 Mhz FSB) | |
| Chipset | Intel G31 Express Chipset | Intel G31 Express Chipset | Intel G31 Express Chipset | Intel G31 Express Chipset | |
| Memory | 2x1GB DDRII 800 Mhz | 1x1GB DDRII 667 Mhz | 2x1GB DDRII 800 Mhz | 1x1GB DDRII 800 Mhz | |
| Hard disk | 320 Gb Sata II 3 gb/s | 160 Gb Sata II 3 gb/s | 320 Gb Sata II 3 gb/s | 160 Gb Sata II 3 gb/s | |
| Optical Drive | DVD-RW 16X Supermulti Label Flash & Disc Technology | DVD-RW 16X Supermulti Label Flash & Disc Technology | Slot in DVD-RW 8X | Slot in DVD-RW 8X | |
| Floppy Drive | Floppy Disk Drive, 16 in 1 media card reader | Floppy Disk Drive, 16 in 1 media card reader | No Floppy Disk Drive | No Floppy Disk Drive | |
| Audio | Embedded high-definition audio with 7.1 channel | Embedded high-definition audio with 7.1 channel | Embedded high-definition audio with 5.1 channel | Embedded high-definition audio with 5.1 channel | |
| Network | Gigabit Ethernet Lan on board | Gigabit Ethernet Lan on board | Gigabit Ethernet Lan on board, Wireless Lan | Gigabit Ethernet Lan on board, Wireless Lan | |
| Graphics | Integrated Intel Graphic Media Accelerator 3100 | Integrated Intel Graphic Media Accelerator 3100 | Integrated Intel Graphic Media Accelerator 3100 | Integrated Intel Graphic Media Accelerator 3100 | |
| PCI Slots | One full height PCI Express x16, One full height PCI Express x1, Two full height PCI 2.3 slot | One full height PCI Express x16, One full height PCI Express x1, Two full height PCI 2.3 slot | mini PCI Slot | mini PCI Slot | |
| Interfaces | 8 USB 2.0 port | 8 USB 2.0 port, | 8 USB 2.0 port | 8 USB 2.0 port, | |
| Power Supply | 300 Watt | 300 Watt | 135 Watt | 135 Watt | |
| OS | Windows Vista Business 32 bit | Windows Vista Business 32 bit | Windows Vista Business 32 bit | Windows Vista Business 32 bit | |
| Monitor | LCD 17" | LCD 17" | LCD 19" Wide Screen | LCD 19" Wide Screen | |
| Warranty | 3 Year Parts/1 Year Labor/1 Year Onsite | 3 Year Parts/1 Year Labor/1 Year Onsite | 3 Year Parts/1 Year Labor/1 Year Onsite | 3 Year Parts/1 Year Labor/1 Year Onsite | |
| Special Promotion | | | | | |
| SRP | 21,500.- | 23,500.- | 22,900.- | 29,900.- | |



SIS Distribution (Thailand) Public Company Limited
Tel: 0-2640-3000 FAX 0-2643-0780
Email address: sis@sisintl.com

สงวนลิขสิทธิ์ในเอกสารนี้ 7% : ผู้จำหน่ายสินค้าและบริการจากผู้ผลิตและผู้ให้บริการ
All Prices and Specification Subject To Change Without Prior Notice and Excluding Vat 7%

Acer Veriton



NEW

Veriton X270
A1K-V740C002LE



Hot Price !!

Veriton M460
A1-V5200H09LE

Hot Price !!

Veriton M460
A1-V5200H06LE



Hot Price !!

Veriton M460
A1-V5200G39LE

Hot Price !!

Veriton L460
A1K-V570CB72LE

| | | | | | |
|--------------------------|---|---|---|---|---|
| Processor | Intel Celeron Dual Core Processor E1400 (2.0Ghz, 512KB L2 Cache, 800 Mhz FSB) | Intel Celeron Processor 450 (2.2Ghz, 512KB L2 Cache, 800 Mhz FSB) | Intel Pentium Dual Core Processor E2220 (2.4Ghz, 1M L2 Cache, 800 Mhz FSB) | Intel Core 2 Duo Processor E7300 (2.66 Ghz, 3MB L2 Cache, 1066 Mhz FSB) | Intel Celeron Processor 450 (2.2Ghz, 512KB L2 Cache, 800 Mhz FSB) |
| Chipset | NVIDIA GeForce 7100 & Force 630i Chipset | Intel G31 Express Chipset | Intel G31 Express Chipset | Intel G31 Express Chipset | Intel G31 Express Chipset |
| Memory | 1x1GB DDRII 800 Mhz | 1x1GB DDRII 800 Mhz | 1x1GB DDRII 800 Mhz | 1x1GB DDRII 667 Mhz | 1x1GB DDRII SoDimm SDRAM |
| Hard disk | 160 Gb SATA II 3 gb/s | 320 Gb SATA II 3 gb/s | 320 Gb SATA II 3 gb/s | 160 Gb SATA II 3 gb/s | 160 Gb SATA II 3 gb/s |
| Optical Drive | DVD-RW 16X Supermulti Label Flash & Disc Technology | DVD-RW 16X Supermulti Label Flash & Disc Technology | DVD-RW 16X Supermulti Label Flash & Disc Technology | DVD-RW 16X Supermulti Label Flash & Disc Technology | Slot in DVD-RW 16X Supermulti |
| Floppy Drive | Floppy Disk Drive, Multi in one card reader | Floppy Disk Drive | Floppy Disk Drive | Floppy Disk Drive, 16 in 1 media card reader | No Floppy Disk Drive |
| Audio | Embedded high-definition audio with 5.1 channel | Embedded high-definition audio with 7.1 channel | Embedded high-definition audio with 7.1 channel | Embedded high-definition audio with 7.1 channel | Embedded high-definition audio with 5.1 channel |
| Network | Gigabit Ethernet Lan on board | Gigabit Ethernet Lan on board | Gigabit Ethernet Lan on board | Gigabit Ethernet Lan on board | Gigabit Ethernet Lan on board, Wireless Lan |
| Graphics | Integrated NVIDIA GeForce 7100 Graphics | Integrated Intel Graphic Media Accelerator 3100 | Integrated Intel Graphic Media Accelerator 3100 | Integrated Intel Graphic Media Accelerator 3100 | Integrated Intel Graphic Media Accelerator 3100 |
| PCI Slots | One low profile PCI Express x16, One low profile PCI Express x1, | One full height PCI Express x16, One full height PCI Express x1, Two full height PCI 2.3 slot | One full height PCI Express x16, One full height PCI Express x1, Two full height PCI 2.3 slot | One full height PCI Express x16, One full height PCI Express x1, Two full height PCI 2.3 slot | mini PCI Slot |
| Interfaces | 9 USB 2.0 port | 8 USB 2.0 port | 8 USB 2.0 port, | 8 USB 2.0 port | 8 USB 2.0 port, |
| Power Supply | 220 Watt | 300 Watt | 300 Watt | 300 Watt | 135 Watt |
| OS | Linux | Linux | Linux | Linux | Linux |
| Monitor | LCD 19" Wide Screen | No Monitor | No Monitor | No Monitor | LCD 19" Wide Screen |
| Warranty | 3 Year Parts/1 Year Labor/1 Year Onsite | 3 Year Parts/1 Year Labor/1 Year Onsite | 3 Year Parts/1 Year Labor/1 Year Onsite | 3 Year Parts/1 Year Labor/1 Year Onsite | 3 Year Parts/1 Year Labor/1 Year Onsite |
| Special Promotion | | | | | |
| SRP | 14,000.- | 10,900.- | 12,200.- | 14,900.- | 17,500.- |



SIS Distribution (Thailand) Public Company Limited
Tel: 0-2640-3000 FAX 0-2643-0780
Email address: sis@sisintl.com

สงวนลิขสิทธิ์ในเอกสารนี้ 7% : ผู้จำหน่ายสินค้าและบริการมีหน้าที่ในการแจ้งให้ผู้บริโภคทราบถึงรายละเอียดของสินค้าและบริการที่จำหน่ายอยู่ตลอดเวลา
All Prices and Specification Subject to Change Without Prior Notice and Excluding Vat 7%