

HP Business PC



By Order

	dx2810 C1-FY685AV#R003	dx2810 C1-VD244PA#AKL	dc5800MT C1-NS035PA#AKL	dc5800MT C1-NS036PA#AKL	dc5800MT C1-NS037PA#AKL
Processor	Intel Core 2 Duo E7500 Processor (2.8 GHz)	Intel Core 2 Quad Q8300 Processor (2.5 GHz)	Intel Core 2 Duo E7400 processor (2.80GHz)	Core 2 Duo E8400 Processor (3.0 GHz)	Core 2 Quad Q9400 processor (2.66 GHz)
Cache L2	3MB L2 Cache , 1066 MHz FSB)	4MB L2 Cache , 1333 MHz FSB)	3MB L2 Cache , 1066MHz FSB	6MB L2 Cache , 1333MHz FSB	6MB L2 Cache , 1333MHz FSB)
Memory Std.	2GB PC2-6400 (DDR2-800)Memory (4 DIMM slots up to 8GB)	2GB PC2-6400 (DDR2-800) 2x1GB	1x2GB PC2-6400 (DDR2-800) Memory (4 DIMM slots)	3x1GB PC2-6400 (DDR2-800) (4 DIMM slots)	4x 1GB PC2-6400 (DDR2-800) memory (4 DIMM slots up to 8GB)
Chipset	Intel G45 Express Chipset	Intel G45 Express Chipset	Intel Q33 Express	Intel Q33 Express	Intel Q33 Express
Harddisk	320GB SATA 3.5 #1 Hard Drive	320GB SATA NCQ HDD SMART IV 1st	320GB SATA NCQ HDD SMART IV 1st	500 GB SATA NCQ HDD SMART IV 1st	500 GB SATA NCQ HDD SMART IV 1st
CD-ROM	SuperMulti LS (no SW) #1, HP 22-in-1 3.5" Media Card Reader	SuperMulti LS (JB) #1, HP 22-in-1 3.5" Media Card Reader	SATA 16X SuperMulti LghtScribe, HP 16-In-1 3.5 Media Card Reader	SATA 16X SuperMulti LghtScribe, HP 22-In-1 3.5 Media Card Reader	SATA 16X SuperMulti LghtScribe, HP 22-In-1 3.5 Media Card Reader
LAN	Integratrd Realtek 811 C-VB-R Gigabit Ethernet	Integratrd Realtek 811 C-VB-R Gigabit Ethernet	Intel 82566DM Gigabit Network	Intel 82566DM Gigabit Network	Intel 82566DM Gigabit Network
Audio	Realtek ALC662 High Definition audio codec	Realtek ALC662 High Definition audio codec	Integrated High Definition audio with ADI1884 codec	Integrated High Definition audio with ADI1884 codec	Integrated High Definition audio with ADI1884 codec
Graphics	Intel Graphics Media Accelerator 3100	Intel Graphics Media Accelerator 3100	Intel Graphics Media Accelerator 3100 integrated graphics	Intel Graphics Media Accelerator 3100 integrated graphics	Intel Graphics Media Accelerator 3100 integrated graphics
Expandable	(8) USB 2.0 ports, (2) PCI 2.3 slot, (1) PCIe x1 slots,(1) PCIe x16 slot, (1) Parallel, (1) COM	(8) USB 2.0 ports, (2) PCI 2.3 slot, (1) PCIe x1 slots,(1) PCIe x16 slot, (1) Parallel, (1) COM	Front I/O: (2) USB 2.0, Rear I/O: (6) USB 2.0 , (1) standard serial port, (1) optional serial port, (1) optional parallel port, (2) PS/2, (1) RJ-45, (1) VGA, (1) audio in	Front I/O: (2) USB 2.0, Rear I/O: (6) USB 2.0 , (1) standard serial port, (1) optional serial port, (1) optional parallel port, (2) PS/2, (1) RJ-45, (1) VGA, (1) audio in	Front I/O: (2) USB 2.0, Rear I/O: (6) USB 2.0 , (1) standard serial port, (1) optional serial port, (1) optional parallel port, (2) PS/2, (1) RJ-45, (1) VGA, (1)
Monitor	No Monitor	No Monitor	No Monitor	No Monitor	No Monitor
OS	FreeDOS SW	Windows Vista Custom Downgrade to XP Pro	Windows Vista Custom Downgrade to XP Pro	Vista Business - Downgrade to XP Pro SW	Vista Business - Downgrade to XP Pro SW
Warranty	3/1/1 MT Warranty	3/3/3 MT Warranty	3-3-3 MT Warranty	3-3-3 MT Warranty	3-3-3 MT Warranty
SRP	15,900.-	23,400.-	22,900.-	26,900.-	33,900.-

HP Option for PC (Commercial Monitor)		SRP
C1-NJ711AA#AKL	HP LV1561w 15.6" wide LCD Monitor	4,200
C1-PX848AA#AKL	L1506 15" LCD Monitor	5,800
C1-GV537AA#AKL	w17e 17" wide LCD Monitor	5,000
C1-FS932AA#AKL	HP v185w widescreen LCD Monitor	7,300
C1-GS917AA#AKL	L1710 17" LCD Monitor	7,200
C1-GF904AA#AKL	L1750 17" LCD Monitor	8,500
C1-GS918AA#AKL	L1910 19" LCD Monitor	8,500
C1-NK570AA#AKL	HP LE1901 19" wide LCD Monitor	5,900
C1-NP446AA#AKL	HP LE1901wm 19" wide LCD Monitor	6,400
C1-RA374AA#AKL	LP1965 19" LCD Monitor	13,000

HP Option for PC (Commercial Monitor)		SRP
C1-KR145AA#AKL	HP L1950g LCD Monitor	10,300
C1-NK128AA#AKL	HP LE2001w 20-Inch wide LCD Monitor	6,400
C1-NK571AA#AKL	HP LE2201w 22-Inch Wide LCD	7,400
C1-FL472AA#AKL	HP L2245wg 22" wide LCD Monitor	11,400
C1-KT931AA#AKL	HP L2445w 24" wide LCD Monitor	13,900



SIS Distribution (Thailand) Public Company Limited
 TEL: 0-2-640-3000 FAX: 0-2-643-0780
 Email: address : sis@sisnhi.com

ราคาต่อหน่วยที่พิมพ์ขึ้นในใบเสนอราคาเป็นราคาสุทธิ 7% : ราคานี้รวมค่าขนส่งและค่าติดตั้งแล้ว
 ราคาต่อหน่วยที่พิมพ์ขึ้นในใบเสนอราคาเป็นราคาสุทธิ 7% : ราคานี้รวมค่าขนส่งและค่าติดตั้งแล้ว
 All Prices and Specification Subject To Change Without Prior Notice and Excluding Vat 7%

HP Business PC

New



dx2310

C1-VP532PA#AKL

New



dx2310

C1-VP533PA#AKL

New



dx2310

C1-NS032PA#AKL

New



dx2310

C1-VP534PA#AKL

New

dx7510

C1-VP507PA#AKL

Processor	Intel Dual Core E5300 processor (2.60GHz)	Core 2 Duo E7500 processor (2.93GHz)	Intel Core 2 Duo E8400 Processor (3.0 GHz)	Intel Core 2 Quad Q8400 Processor (2.66 GHz)	Core 2 Duo E7500 processor (2.93GHz)
Cache L2	2MB L2 Cache, 800MHz FSB	3MB L2 Cache, 1066MHz FSB	6MB L2 Cache, 1333MHz FSB	4MB L2 Cache, 1333MHz FSB	3MB L2 Cache, 1066MHz FSB
Memory Std.	1x2GB PC2-6400 (DDR2-800) Memory (2 DIMM slots up to 4GB)	1x2GB PC2-6400 (DDR2-800) Memory (2 DIMM slots up to 4GB)	1x2GB PC2-6400 (DDR2-800) Memory (2 DIMM slots up to 4GB)	2x2GB PC2-6400 (DDR2-800) Memory (2 DIMM slots up to 4GB)	2x 1GB DDR3 1333Mhz SDRAM system memory (4 DIMM slots up to 16GB)
Chipset	Intel G31 Express chipset	Intel G31 Express chipset	Intel G31 Express chipset	Intel G31 Express chipset	Intel Q43 Express Chipset
Harddisk	320GB SATA NCQ HDD SMART IV 1st	320GB SATA NCQ HDD SMART IV 1st	500GB SATA NCQ HDD SMART IV 1st	500GB SATA NCQ HDD SMART IV 1st	320GB SATA NCQ HDD SMART IV 1st
CD-ROM	SATA 16X SuperMulti LightScribe 1st No SW, HP 22-in-1 3.5" Media Card Reader	SATA 16X SuperMulti LightScribe 1st No SW ,HP 22-in-1 3.5" Media Card Reader	SATA 16X SuperMulti LightScribe 1st No SW, HP 22-in-1 3.5" Media Card Reader	SATA 16X SuperMulti LightScribe 1st No SW ,HP 22-in-1 3.5" Media Card Reader	SATA 16X SuperMulti LightScribe 1st Drv, HP 22-in-1 3.5in Media Card Reader
LAN	Integratd Realtek 811 C-VB-R Gigabit Ethernet	Integratd Realtek 811 C-VB-R Gigabit Ethernet	Integratd Realtek 811 C-VB-R Gigabit Ethernet	Integratd Realtek 811 C-VB-R Gigabit Ethernet	Realtek 8111D Gigabit Ethernet Controller
Audio	Realtek ALC662 HD audio codec, 3D audio compliant and HD Audio compatible	Realtek ALC662 HD audio codec, 3D audio compliant and HD Audiodcompatible	Realtek ALC662 HD audio codec, 3D audio compliant and HD Audio compatible	Realtek ALC662 HD audio codec, 3D audio compliant and HD Audio compatible	Integrated Realtek ALC662-VC Audio
Graphics	Intel Graphics Media Accelerator 3100	Intel Graphics Media Accelerator 3100	Intel Graphics Media Accelerator 3100	Intel Graphics Media Accelerator 3100	Intel Graphics Media Accelerator X4500HD
Expandable	6 USB 2.0 ports(2 front, 4 rear, 2 internal), 2 PS/2, 1 RJ-45, 1 VGA, 1 parallel, 1 serial, 1 audio in, 1 audio out, 1 MIC, (2) Full hight PCI 2.3 Slots, (1) full hight PCIe x 1 Slot, (1) full hight PCIe x16 Slot	6 USB 2.0 ports (2 front, 4 rear, 2 internal), 2 PS/2, 1 RJ-45, 1 VGA, 1 parallel,1 serial, 1 audio in, 1 audio out , 1 MIC,(2) Full hight PCI 2.3 Slots, (1) full hight PCIe x 1 Slot, (1) full hight PCIe x16 Slot	6 USB 2.0 ports (2 front, 4 rear, 2 internal), 2 PS/2, 1 RJ-45, 1 VGA, 1 parallel, 1 serial, 1 audio in, 1 audio out , 1 MIC,(2) Full hight PCI 2.3 Slots, (1) full hight PCIe x 1 Slot, (1) full hight PCIe x16 Slot	6 USB 2.0 ports (2 front, 4 rear, 2 internal), 2 PS/2,1 RJ-45, 1 VGA, 1 parallel, 1 serial, 1 audio in, 1 audio out, 1 MIC, (2) Full hight PCI 2.3 Slots, (1) full hight PCIe x 1 Slot, (1) full hight PCIe x16 Slot	8usb, (2) PS/2, (1) RJ-45, (1) VGA, (1) Parallel, 1 serial (1) COM ,(2) full-height PCI 2.3 slot, (1) PCIe x1 slots
Monitor	No Monitor	No Monitor	No Monitor	No Monitor	No Monitor
OS	FreeDOS SW	FreeDOS SW	FreeDOS SW	FreeDOS SW	FreeDOS SW
Warranty	1-1-1 warranty MT (optional warranty extensions available)	1-1-1 warranty MT (optional warranty extensions available)	1-1-1 warranty MT (optional warranty extensions available)	1-1-1 warranty MT (optional warranty extensions available)	1-1-1 warranty MT (optional warranty extensions available)
SRP	12,500.-	15,200.-	16,900.-	17,900.-	16,900.-

P/N	THIN CLIENT	SRP
C1-FQ800AA#AKL	t5145 LNX 500MHZ 128F/512R TC THAI	8,700
C1-FQ798AA#AKL	t5545 LNX 1.0GHz 512F/512R TC THAI	9,800
C1-FQ799AA#AKL	t5540 CE 800MHZ 128F/512R TC THAI	10,900
C1-NW076AA#AKL	HP t5630w 2GF/1GR TC MS WES THAI	13,200
C1-NV267AA#AKL	t5730w 2GF/1GR MS WES TC THAI	15,000
C1-NV268AA#AKL	t5730w 2GF/1GR WIFI MS WES THAI	15,900
C1-NB794AA#AKL	t5735 S2100 1GF/1GR TC THAI	11,900
Options		
GZ286AA	HP t5730/t5735 Expansion Module	1,300
EM870AA	HP Quick Release Kit	990
PC766AA	HP/Kensington Cable Lock	1,590



OFFICE PC

SIS Distribution (Thailand) Public Company Limited
 TEL: 0-2-640-3000 FAX: 0-2-643-0780
 Email: address : sis@sisph.com
 ราคาสุทธิรวมภาษีมูลค่าเพิ่ม 7% : ราคานี้รวมค่าขนส่งและค่าติดตั้งระบบแล้วแต่กรณี
 ราคาสุทธิรวมภาษีมูลค่าเพิ่ม 7% : ราคานี้รวมค่าขนส่งและค่าติดตั้งระบบแล้วแต่กรณี
 All Prices and Specification Subject To Change Without Prior Notice and Excluding Vat 7%

HP Business PC



New

dx7510
C1-VP508PA#AKL

New

dx7510
C1-VP509PA#AKL

By Order

dc7900USD
C1-NA141PA#AKL

By Order

dc7900SFF
C1-NA142PA#AKL

By Order

dc7900SFF
C1-NA143PA#AKL

	Core 2 Duo E7500 processor (2.93GHz)	Intel Core 2 Quad Q8400 Processor (2.66 GHz)	Intel Core 2 Duo E8500 processor (3.16 GHz)	Intel Core 2 Quad Q8200 processor (2.33 GHz)	Core 2 Quad Q9550 processor (2.83 GHz)
Processor	Core 2 Duo E7500 processor (2.93GHz)	Intel Core 2 Quad Q8400 Processor (2.66 GHz)	Intel Core 2 Duo E8500 processor (3.16 GHz)	Intel Core 2 Quad Q8200 processor (2.33 GHz)	Core 2 Quad Q9550 processor (2.83 GHz)
Cache L2	3MB L2 Cache , 1066MHz FSB	4MB L2 Cache , 1333MHz FSB	6MB L2 Cache , 1333MHz FSB	4MB L2 Cache , 1333MHz FSB	12MB L2 Cache , 1333MHz FSB
Memory Std.	2x 1GB DDR3 1333Mhz SDRAM system memory (4 DIMM slots up to 16GB)	2x 2GB DDR3 1333Mhz SDRAM system memory (4 DIMM slots up to 16GB)	1x 2GB PC2-6400 DDR2-800 SODIM (2 DIMM slots up to 8GB)	1x 2GB PC2-6400 DDR2-800 SODIM (4 DIMM slots up to 16GB)	4x1GB PC2-6400 (DDR2-800) (4 DIMM slots up to 16GB)
Chipset	Intel Q43 Express Chipset	Intel Q43 Express Chipset	Intel Q45 Express chipset	Intel Q45 Express chipset	Intel Q45 Express chipset
Harddisk	320GB SATA NCQ HDD SMART IV 1st	500GB SATA NCQ HDD SMART IV 1st	250GB 7200RPM SATA NCQ/SMART	320GB 7200RPM SATA NCQ/SMART	500GB 7200RPM SATA NCQ/SMART
CD-ROM	SATA 16X SuperMulti LightScribe 1st Drv, HP 22-in-1 3.5in Media Card Reader	SATA 16X SuperMulti LightScribe 1st Drv, HP 22-in-1 3.5in Media Card Reader	Slim SATA 8X SuperMulti LghtScribe Driv	SATA 16X SuperMulti LghtScribe 1st Drv	SATA 16X SuperMulti LghtScribe 1st Drive
LAN	Realtek 8111D Gigabit Ethernet Controller	Realtek 8111D Gigabit Ethernet Controller	Broadcom NetXtreme Gigabit Ethernet Plus PCIe NIC	Broadcom NetXtreme Gigabit Ethernet Plus PCIe NIC	Broadcom NetXtreme Gigabit Ethernet Plus PCIe NIC
Audio	Integrated Realtek ALC662-VC Audio	Integrated Realtek ALC662-VC Audio	Integrated HD audio with AD1884A codec	Integrated HD audio with AD1884A codec	Integrated HD audio with AD1884A codec
Graphics	Intel Graphics Media Accelerator X4500HD with DX10 support	ATI Radeon HD 4550 PCIe x16 1st Card	Intel GMA 4500 DirectX 10 graphics	NVIDIA Quadro NVS 290 256MB	NVIDIA Quadro NVS 290 256MB
Expandable	8usb, (2) PS/2, (1) RJ-45, (1) VGA, (1) Parallel, 1 serial (1) COM ,(2) full-height PCI 2.3 slot, (1) PCIe x1 slots	8usb , (2) PS/2, (1) RJ-45, (1) VGA, (1) Parallel, 1 serial (1) COM , (2) full-height PCI 2.3 slot, (1) PCIe x1 slots	Front I/O: (2) USB 2.0, headphone and microphone,Rear I/O: (6) USB 2.0, (1) DisplayPort, (2) PS/2, (1) RJ-45	dual head graphics adapter Front I/O: (2) USB 2.0, headphone and microphone, Rear I/O: (6) USB 2.0, (1) serial port, (2) PS/2, (1) RJ-45, (1) VGA port	dual head graphics adapter Front I/O: (2) USB 2.0, headphone and microphone, Rear I/O: (6) USB 2.0, (1) serial port, PS/2, (1) RJ-45, (1) VGA port
Monitor	No Monitor	No Monitor	No Monitor	No Monitor	No Monitor
OS	Windows Vista Custom Downgrade to XP Pro	Windows Vista Custom Downgrade to XP Pro	Windows Vista Custom Downgrade to XP Pro	Windows Vista Custom Downgrade to XP Pro	Windows Vista Custom Downgrade to XP Pro
Warranty	3-3-3 warranty MT	3-3-3 warranty MT	3-3-3 MT Warranty USD	HP (3-3-3) dc7800 SFF Warranty	5-5-5 (SFF) warranty
SRP	21,900.-	27,900.-	30,900.-	32,500.-	39,900.-

HP Business PC



By Order
HP rp3000
AN585AV#P001



By Order
HP rp5700
RT047AV#P001



By Order
HP rp5700
RT047AV#P002

By Order
HP rp5700
RT047AV#P003

Processor	Intel Atom 230 Processor (1.6 GHz)	Celeron 440 Processor (2.0GHz)	Intel Pentium Dual Core E2160 Processor (1.8 GHz)	Intel Core 2 Duo E6400 Processors (2.13 GHz)
Cache L2	512KB L2 Cache, 533 MHz FSB	512MB L2 Cache, 800MHz FSB	1MB L2 Cache, 800MHz FSB	2MB L2 Cache, 1066 MHz FSB
Memory Std.	1GB PC2-6400 (DDR2-800)	1GB PC2-5300 (DDR2-667)	HP 1GB PC2-5300 (DDR2-667) Memor	HP 2GB PC2-5300 (DDR2-667) 2x 1GB (upto 8 GB)
Chipset	Intel 945GC with ICH7	Intel Q963	Intel Q963	Intel Q963
Harddisk	HP 160GB SATA 3.0Gb/s 1st Hard Drive	HP 160GB SATA 3.0Gb/s 1st Hard Drive	HP 160GB SATA 3.0Gb/s 1st Hard Drive	HP 160GB SATA 3.0Gb/s 1st Hard Drive
CD-ROM	SATA 16X/48X DVD-ROM	SATA 16X/48X DVD-ROM	HP SATA 16X/48X DVD-ROM	SATA 16X SuperMulti LightScribe
LAN	Integrated Broadcom 5764N NIC 10/100/100	Integrated Broadcom 5755 NIC 10/100/1000 with integrated TPM support	Integrated Broadcom 5755 NIC 10/100/1000 with integrated TPM support	Integrated Broadcom 5755 NIC 10/100/1000 with integrated TPM support
Audio	Intel integrated high-definition audio with 2-channel Realtek ALC 262 codec Integrated Intel Graphic	Intel integrated high-definition audio with 2-channel Realtek ALC 262 codec	Intel integrated high-definition audio with 2-channel Realtek ALC 262 codec	Intel integrated high-definition audio with 2-channel Realtek ALC 262 codec
Graphics	Media Accelerator 950 Full-height, half-length PCI or support	Intel GMA 3000 and support for dual independent displays	Intel GMA 3000 and support for dual independent displays	Intel GMA 3000 and support for dual independent displays
Expandable	for 1 low profile PCIe x 1	2 full-height PCI slots, 1 low profile PCI-E x 1, 1 low profile SDVO/ADD2 connector 6 USB 2.0 ports standard (2 front, 4 rear)	2 full-height PCI slots, 1 low profile PCI-E x 1, 1 low profile SDVO/ADD2 connector 6 USB 2.0 ports standard (2 front, 4 rear)	2 full-height PCI slots, 1 low profile PCI-E x 1, 1 low profile SDVO/ADD2 connector 6 USB 2.0 ports standard (2 front, 4 rear)
Monitor	No Monitor	6 USB 2.0 ports standard	6 USB 2.0 ports standard	6 USB 2.0 ports standard
OS	FreeDOS	FreeDOS	FreeDOS	FreeDOS
Warranty	3 years of Parts/Labour/ Onsite services	3 years of Parts/Labour/Onsite services (Optional upto 5 years)	3 years of Parts/Labour/Onsite services (Optional upto 5 years)	3 years of Parts/Labour/Onsite services (Optional upto 5 years)
SRP	13,700.-	17,900.-	21,900.-	31,900.-

RPOS Accessories (By Order)		SRP
FK218AA#AKL	POS USB Vista MSR Keyboard ALL	4,900
EY022AA	HP USB Barcode Scanner	5,900
FK186AA	USB Mini Magnetic Strip Reader (with brackets)	3,500
FK224AA	HP USB Receipt Printer	12,500
FK182AA#AKL	HP Cash Drawer	7,300
RB146AA#AKL	HP L5006tm LCD Touchscreen Mon THAI	23,900
FK225AA	HP Customer Display Pole	4,700

SIS Distribution (Thailand) Public Company Limited
 TEL: 0-2-640-3000 FAX: 0-2-643-0780
 Email: address : sis@sisphn.com
 ราคาที่พิมพ์ขึ้นทั้งหมดยังไม่รวมภาษีมูลค่าเพิ่ม 7% : ราคานี้รวมค่าขนส่งและค่าติดตั้งแล้วแต่กรณี
 ราคาที่พิมพ์ขึ้นทั้งหมดยังไม่รวมภาษีมูลค่าเพิ่ม 7% : ราคานี้รวมค่าขนส่งและค่าติดตั้งแล้วแต่กรณี
 All Prices and Specification Subject To Change Without Prior Notice and Excluding Vat 7%

Medium Tower

New

ThinkCenter A58
(Tower)
L5K-7515RW3



ThinkCenter A58 (Tower)
L5K-7515RW7



ThinkCenter A58
(Small Form Factor)
L5K-7522RZ6

ThinkCenter A58
(Small Form Factor)
L5K-7522RZ5

Processor	Pentium dual-core processor E5200 2.5GHz 800Mhz	Intel Q8200 2.33GHz 1333FSB	Intel Core 2Duo E8400 (3.0Ghz) FSB 1333Mhz	Intel Core 2Quard Q8200 (2.33GHz) 1333FSB
Cache L2	2MB	4MB	6MB	6MB
Memory Std.	1024 MB DDR 2 800 MHz/4GB max /2 Dimms	1x2GB DDR 2 6400 800MHz/4GB max /2 Dimms	1x2GB DDR 2 6400 800 MHz/4GB max /2 Dimms	1x2GB DDR 2 6400 800 MHz/4GB max /2 Dimms
Chipset	Intel G41	Intel G41	Intel G41	Intel G41
Harddisk	320 GB SATA II 7200 rpm	320 GB SATA II 7200 rpm	320GB SATA II 7200 rpm	320GB SATA II 7200 rpm
Optical	DVD-RW + Media Card Reader	DVD-RW / Media Reader 22 in 1	DVD-RW / Media Reader 22 in 1	DVD-RW / Media Reader 22 in 1
LAN	Integrated_Intel GIGabit	Gigabit ethernet on planar, Marvell-88E8057, Wake on LAN	Gigabit ethernet on planar, Marvell 88E8057, Wake on LAN	Gigabit ethernet on planar, Marvell 88E8057, Wake on LAN
Audio	Integrated Audio_ALC 662HD	High Defi nition (HD) Audio, Realtek-ALC662 codec	High Defi nition (HD) Audio, Realtek ALC662 codec	High Defi nition (HD) Audio, Realtek ALC662 codec
Graphics	Intel Graphics Media Accelerator 3100 (GMA 3100)	Intel GMA X4500 Integrated	Intel Graphics Media Accelerator X4500 (GMA X4500),	Intel Graphics Media Accelerator X4500 (GMA X4500),
Expandable	Four USB 2.0(back), Two USB 2.0 (front) / Two USB 2.0 planar connectors (one used; one open for media reader)	Two USB 2.0 (Front), microphone (stereo, 3.5mm), headphone (stereo, 3.5mm) Four USB 2.0 (Back), serial (9-pin)	Four USB 2.0(back), Two USB 2.0 (front) / Two USB 2.0 planar connectors (one used; one open for media reader)	Four USB 2.0(back), Two USB 2.0 (front)/ Two USB 2.0 planar connectors (one used; one open for media reader)
Monitor	-	-	-	-
OS	Dos	Dos	Vista Bus 32 with XP Rvcd	Vista Bus 32 with XP Rvcd
Warranty	1/1/1	1/1/1	1/1/1	1/1/1
SRP	10,900.-	18,900.-	22,900.-	24,900.-

SIS Distribution (Thailand) Public Company Limited
 TEL: 0-2640-3000 FAX: 0-2643-0780
 Email address : sis@sisphn.com
 ราคาจำหน่ายตั้งต้นรวมภาษีมูลค่าเพิ่ม 7% : ราคานี้รวมค่าขนส่งสินค้าและค่าติดตั้งระบบแล้วแต่ไม่รวมค่าติดตั้งระบบและค่าปรับ
 ราคาและรายละเอียดสินค้าอาจเปลี่ยนแปลงได้โดยไม่ต้องแจ้งให้ทราบล่วงหน้า
 All Prices and Specification Subject To Change Without Prior Notice and Excluding Vat 7%

PC PRODUCTS
 SUGGESTED RETAIL PRICE : September 2009

Medium Tower



ThinkCentre M57e
(Tower)
L5K-9439EKT

ThinkCenter M57E
(Tower)
L5K-9948RU4

ThinkCenter M58E
L5K-7303CTO

ThinkCenter M58E
L5K-7298RA3

ThinkCenter M58E
L5K-7298RB9

Processor	Pentium Core 2 Duo E7300 (2.66 Ghz)	Pentium dual-core processor E5200 2.5GHz 800Mhz	Intel Core 2 DuoE8400 3GHz/ 1333Mhz	Intel Core 2 DuoE8400 3GHz/ 1333Mhz	Intel Core 2 DuoE8400 3GHz/ 1333Mhz
Cache L2	3MB	2MB	6 MB	6 MB	6 MB
Memory Std.	1024 MB DDR 2 667 MHz/4GB max /2 Dimms	1024 MB DDR 2 800 MHz/4GB max /2 Dimms	1x2GB DDR 2 800 MHz/4GB max /2 Dimms	1x2GB DDR 2 800 MHz/4GB max /2 Dimms	1x2GB DDR 2 800 MHz/4GB max /2 Dimms
Chipset	Intel G31	Intel G31	Intel G41	Intel G41	Intel G41
Harddisk	160 GB SATA II 7200 rpm	320 GB SATA II 7200 rpm	160 GB SATA II 7200 rpm	320 GB SATA II 7200 rpm	320 GB SATA II 7200 rpm
CD-ROM	DVD-RW	DVD-RW + Media Card Reader	DVD-RW	DVD-RW + Media Card reader 25 in 1	DVD-RW + Media Card reader 25 in 1
LAN	Gigabit ethernet	Integrated_Intel GIGAbit	Integrated_Intel GIGAbit	Integrated_Intel GIGAbit	Integrated_Intel GIGAbit
Audio	High Defi nition (HD) Audio, Realtek ALC662 codec	Integrated Audio_ALC 662HD	Integrated Audio_ALC 662HD	Integrated Audio_ALC 662HD	Integrated Audio_ALC 662HD
Graphics	Intel Graphics Media Accelerator 3100 (GMA 3100)	Intel Graphics Media Accelerator 3100 (GMA 3100)	Intel Graphics Media Accelerator X4500 (GMA X4500),	Intel Graphics Media Accelerator X4500 (GMA X4500),	Intel Graphics Media Accelerator X4500 (GMA X4500)
Expandable	Four USB 2.0(back), Two USB 2.0 (front) / Two USB 2.0 planar connectors	Four USB 2.0(back), Two USB 2.0 (front) / Two USB 2.0 planar connectors (one used; one open for media reader)	Four USB 2.0(back), Two USB 2.0 (front) / Two USB 2.0 planar connectors (one used; one open for media reader)	Four USB 2.0(back), Two USB 2.0 (front) / Two USB 2.0 planar connectors (one used; one open for media reader)	Four USB 2.0(back), Two USB 2.0 (front) / Two USB 2.0 planar connectors (one used; one open for media reader)
Monitor	-	-	-	-	-
OS	Vista Business (Preload XP Pro)	Dos	Vista Business Downgrade to XP Pro	Dos	Vista Business
Warranty	3/3/3	1/1/1	3/3/3	3/3/3	3/3/3
SRP	21,900.-	10,900.-	23,500.-	20,400.-	23,900.-



SIS Distribution (Thailand) Public Company Limited
TEL: 0-2640-3000 FAX: 0-2643-0780
Email address : sis@sisnhi.com

ราคาจำหน่ายทั้งหมดเป็นราคาสุทธิรวมภาษีมูลค่าเพิ่ม 7% : ราคานี้รวมค่าขนส่งสินค้าในเขตกรุงเทพฯ และปริมณฑล
สำหรับเขตอื่น กรุณาติดต่อสอบถามเพิ่มเติมที่ Call Center 02-2640-3000 หรือดูรายละเอียดเพิ่มเติมที่เว็บไซต์ www.sisnhi.com
All Prices and Specification Subject To Change Without Prior Notice and Excluding Vat 7%

Medium Tower



ThinkCenter M58
(Small Form Factor)
L5K-7360RW7



ThinkCenter M58
(Tower)
L5K-7484RR7



ThinkCenter M58
(Tower)
L5K-7484AFT



ThinkCenter M58p
Tower (Vpro)
L5K-7484RC1

ThinkCenter M58P
Small Form Factor (Vpro)
L5K-7483RP8

Processor	Core 2 Duo E7300 2.66GHz/ 3MB L2 Cache	Core 2 Duo E8400 3GHz/ 6MB L2 Cache	Intel Core 2 Duo E8400 3.0GHz 1333FSB	Intel Core 2 Quad Q9400 (2.66GHz) 1333FSB	Intel Core 2 Duo E8400 (3GHz/6MB L2) Cache
Cache L2	3MB	6MB	6MB	6MB	6MB
Memory Std.	1x1024MB PC-3 1,066Mhz/8GB (4Dimms)	1x1024MB PC-3 800Mhz/8GB (4Dimms)	1x2GB PC-3 8500 1066Mhz/8GB (4Dimms)	1x2GB PC-3 8500 1066Mhz/8GB (4Dimms)	1x2GB PC-3 8500 1066Mhz/8GB (4Dimms)
Chipset	Intel Q45 Express Chipset	Intel Q45 Express Chipset	Intel Q45 Express Chipset	Intel Q45 Express Chipset	Intel Q45 Express Chipset
Harddisk	250GB 7200Rpm	250GB 7200Rpm	250 GB 7200Rpm	320GB 7200Rpm	250GB 7200Rpm
CD-ROM	Multiburner (DVD-RW) Built-in/No FDD	Multiburner (DVD-RW) Built-in/No FDD	Multiburner(DVD-RW) Built-in / No FDD	Multiburner (DVD-RW) Built-in/ No FDD	Multiburner(DVD-RW) Built-in / No FDD
LAN	Gigabit ethernet on planar, Intel 82567	Gigabit ethernet on planar, Intel 82567	Gigabit ethernet on planar, Intel82567	Gigabit ethernet on planar, Intel 82567	Gigabit ethernet on planar, Intel 82567
Audio	LM, Wake on LAN, ASF2.0, DASH 1.0 High Defi nition (HD) Audio Analog Devices AD1882 codec	High Defi nition (HD) Audio, Analog Devices AD1882 codec	High Defi nition (HD) Audio, Analog Devices AD1882 codec	LM, Wake on LAN, ASF2.0, DASH 1.0 High Defi nition (HD) Audio, Analog Devices AD1882 codec	LM, Wake on LAN, ASF2.0, DASH 1.0 High Defi nition (HD) Audio, Analog Devices AD1882 codec
Graphics	Intel Graphics Media Accelerator 4500 (GMA 4500)	Intel Graphics Media Accelerator 4500 (GMA 4500)	Intel Graphics Media Accelerator 4500 (GMA 4500)	Intel Graphics Media Accelerator 4500 (GMA 4500)	Intel Graphics Media Accelerator 4500 (GMA 4500)
Expandable	8ports (2front) 1xserail	8ports (2front) 1xserail	8ports (2front) 1xserail	8ports (2front) 1xserail,	8ports (2front) 1xserail,
Monitor	-	-	-	-	-
OS	Vista Business	Vista Business	Vista Business	Vista Business	Vista Business
Warranty	3/3/3	3/3/3	3/3/3	3/3/3	3/3/3
SRP	24,700.-	28,900.-	29,900.-	34,900.-	29,900.-

SIS
SIS Distribution (Thailand) Public Company Limited
TEL: 0-2640-3000 FAX: 0-2643-0780
Email address : sis@sisnhi.com

ราคาจำหน่ายทั้งหมดรวมภาษีมูลค่าเพิ่ม 7% : ราคานี้รวมค่าขนส่งและค่าติดตั้งตามเงื่อนไขการใช้งาน
สงวนลิขสิทธิ์ในเอกสารนี้โดยไม่ยินยอมให้ผู้อื่นทำซ้ำโดยไม่ได้รับอนุญาต
All Prices and Specification Subject To Change Without Prior Notice and Excluding Vat 7%



SIS Distribution (Thailand) Public Company Limited
 TEL: 0-2-640-3000 FAX: 0-2-643-0780
 Email address: sis@sisnhi.com

ราคาต่อหน่วยที่แสดงในใบเสนอราคาเป็นราคาสุทธิ 7% : ราคานี้รวมค่าขนส่งและค่าติดตั้งแล้ว
 ราคาต่อหน่วยที่แสดงในใบเสนอราคาเป็นราคาสุทธิ 7% : ราคานี้รวมค่าขนส่งและค่าติดตั้งแล้ว
 All Prices and Specification Subject To Change Without Prior Notice and Excluding Vat 7%

Acer Veriton



New

Veriton M670G

A1K-V6500039ZE



New

Veriton M670G

A1K-V6500136ZE



New

Veriton S670G

A1K-V6600014ZE



New

Veriton S670G

A1K-V6600081ZE



Hot Price

Veriton M480G

A1-V7500014ZE

Processor	Intel Core 2 Duo Processor E8500 (3.16Ghz,6Mhz L2 Cache, 1333 Mhz FSB)	Intel Core 2 Quad Processor Q9550 (2.83Ghz,12MB L2 Cache, 1333 Mhz FSB)	Intel Core 2 Duo Processor E8400 (3.0Ghz, 6Mhz L2 Cache, 1333 Mhz FSB)	Intel Core 2 Quad Processor Q9400 (2.6Ghz, 12MB L2 Cache, 1333 Mhz FSB)	Intel Core 2 Duo Processor E7400 (2.8 Ghz, 3MB L2 Cache, 1066 Mhz FSB)
Chipset	Intel Q45 Express Chipset	Intel Q45 Express Chipset	Intel Q45 Express Chipset	Intel Q45 Express Chipset	Intel G43 Express Chipset
Memory	2x2 GB DDR III 1066 Mhz	2x2GB DDRIII 1066 Mhz	2x2 GB DDR III 1066 Mhz	2x2GB DDRIII 1066 Mhz	1x2GB DDRII 800 Mhz
Hard disk	320 Gb Sata II 3 gb/s	640 Gb Sata II 3 gb/s	320 Gb Sata II 3 gb/s	320 Gb Sata II 3 gb/s	160 Gb Sata II 3 gb/s
Optical Drive	DVD-RW 16X Supermulti	DVD-RW 16X Supermulti	DVD-RW 16X Supermulti	DVD-RW 16X Supermulti	DVD-RW 16X Supermulti
Floppy Drive	Floppy Disk Drive	Floppy Disk Drive	Floppy Disk Drive	Floppy Disk Drive	Floppy Disk Drive
Audio	Embedded high-defintion audio with 7.1 channel	Embedded high-defintion audio with 7.1 channel	Embedded high-defintion audio with 7.1 channel	Embedded high-defintion audio with 7.1 channel	Embedded high-defintion audio with 7.1 channel
Network	Gigabit Ethernet Lan on board	Gigabit Ethernet Lan on board	Gigabit Ethernet Lan on board	Gigabit Ethernet Lan on board	Gigabit Ethernet Lan on board
Graphics	Integrated Intel Graphic Media Accelerator 4500	Radeon 4350 512MB VGA+DVI+ HDMI port Graphic Card	Integrated Intel Graphic Media Accelerator 4500	Radeon 4350 512MB VGA+DVI+ HDMI port Graphic Card	Integrated Intel Graphic Media Accelerator 3100
PCI Slots	One full height PCI Express 2.0 x16, One full height PCI Express2.0 x1, Two full height PCI 2.3 slot	One full height PCI Express 2.0 x16, One full height PCI Express2.0 x1, Two full height PCI 2.3 slot	One full height PCI Express 2.0 x16, One full height PCI Express2.0 x1, Two full height PCI 2.3 slot	One full height PCI Express 2.0 x16, One full height PCI Express2.0 x1, Two full height PCI 2.3 slot	One full height PCI Express x16, One full height PCI Express x1, Two full height PCI 2.3 slot
Interfaces	10 USB 2.0 port	10 USB 2.0 port,	10 USB 2.0 port,	10 USB 2.0 port,	8 USB 2.0 port
Power Supply	300 Watt	300 Watt	300 Watt	300 Watt	300 Watt
OS	Windows Vista Business 32 bit	Windows Vista Business 32 bit	Windows Vista Business 32 bit	Windows Vista Business 32 bit	Windows Vista Business 32 bit
Monitor	No monitor	No monitor	No monitor	No monitor	No Monitor
Warranty	3 Year Parts/3 Year Labor/3 Year Onsite	3 Year Parts/3 Year Labor/3 Year Onsite	3 Year Parts/3 Year Labor/3 Year Onsite	3 Year Parts/3 Year Labor/3 Year Onsite	3 Year Parts/1 Year Labor/1 Year Onsite
Special Promotion					
SRP	27,000.-	33,500.-	26,500.-	30,500.-	21,000.-

Acer Veriton



New

Veriton M480G
A1-V7500015ZE



Veriton L480G
A1K-VA109009IE



Veriton L480G
A1K-VA109013ZE



New

Veriton N260G
A1K-VA509001ZE

Processor	Intel Core 2 Quad Processor Q8300 (2.5Ghz, 4MB L2 Cache, 1333 Mhz FSB)	Intel Core 2 Duo Processor E7300 (2.66 Ghz, 3MB L2 Cache, 1066 Mhz FSB)	Intel Pentium Dual Core Processor E5200 (2.5Ghz, 2MB L2 Cache, 800 Mhz FSB)	Intel Core 2 Duo Processor E8400 (3.0 Ghz, 3MB L2 Cache, 1066 Mhz FSB)	Intel Atom Processor N280 (1.66GHz, 512KB L2 Cache, 667MHz FSB)
Chipset	Intel G43 Express Chipset	Intel G43 Express Chipset	Intel G43 Express Chipset	Intel G43 Express Chipset	Intel GN40 Express Chipset
Memory	1x2GB DDRII 800 Mhz	1x2GB DDRIII 1066 (SoDIMM)	1x2GB DDRIII 1066 (SoDIMM)	1x2GB DDRIII 1066 (SoDIMM)	1x1GB DDRII SoDIMM SDRAM
Hard disk	320 Gb SATA II 3 gb/s	320 Gb SATA II 3 gb/s	320 Gb SATA II 3 gb/s	320 Gb SATA II 3 gb/s	160 Gb SATA II 3 gb/s
Optical Drive	DVD-RW 16X Supermulti	DVD-RW 16X Supermulti	DVD-RW 16X Supermulti	DVD-RW 16X Supermulti	no Optical Drive
Floppy Drive	Floppy Disk Drive	Multi in 1 media card reader	Multi in 1 media card reader	Multi in 1 media card reader	Multi in 1 media card reader
Audio	Embedded high-definition audio with 7.1 channel	Embedded high-definition audio with 5.1 channel	Embedded high-definition audio with 5.1 channel	Embedded high-definition audio with 5.1 channel	Embedded high-definition audio with 2.0 channel
Network	Gigabit Ethernet Lan on board	Gigabit Ethernet Lan on board	Gigabit Ethernet Lan on board	Gigabit Ethernet Lan on board	Gigabit Ethernet Lan on board
Graphics	Integrated Intel Graphic Media Accelerator 3100	Integrated Intel Graphic Media Accelerator 4500	Integrated Intel Graphic Media Accelerator 4500	Integrated Intel Graphic Media Accelerator 4500	Integrated Intel Graphic Media Accelerator 4500
PCI Slots	One full height PCI Express x16, One full height PCI Express x1, Two full height PCI 2.3 slot	VGA port, 1 DVI-D port, 1 Serial port, 1 Parallel port, 1eSATA port, 3 audio ports	VGA port, 1 DVI-D port, 1 Serial port, 1 Parallel port, 1eSATA port, 3 audio ports	VGA port, 1 DVI-D port, 1 Serial port, 1 Parallel port, 1eSATA port, 3 audio ports	D-Sub VGA port, HDMI port, DC-in jack
Interfaces	8 USB 2.0 port	8 USB 2.0 port	8 USB 2.0 port	8 USB 2.0 port	10 USB 2.0 port
Power Supply	300 Watt	135 Watt	135 Watt	135 Watt	65 Watt
OS	Windows Vista Business 32 bit	Dos	Windows Vista Business 32 bit	Windows Vista Business 32 bit	Windows Vista Business 32 bit
Monitor	No Monitor	No Monitor	No Monitor	No Monitor	No Monitor
Warranty	3 Year Parts/1 Year Labor/1 Year Onsite	3 Year Parts/1 Year Labor/1 Year Onsite	3 Year Parts/1 Year Labor/1 Year Onsite	3 Year Parts/1 Year Labor/1 Year Onsite	3 Year Parts/1 Year Labor/1 Year Onsite
Special Promotion					
SRP	23,500.-	15,500.-	18,000.-	24,000.-	14,500.-

SIS SIS Distribution (Thailand) Public Company Limited
 TEL: 0-2640-3000 FAX: 0-2643-0780
 Email: address: sis@sisnhi.com
 ราคาจำหน่ายปลีกสุทธิรวมภาษีมูลค่าเพิ่ม 7% : ราคานี้รวมค่าขนส่งสินค้าและค่าติดตั้งระบบคอมพิวเตอร์และอุปกรณ์ต่อพ่วง
 ส่วนค่าขนส่งสินค้าและค่าติดตั้งระบบคอมพิวเตอร์และอุปกรณ์ต่อพ่วง อยู่นอกเหนือจากราคานี้
 All Prices and Specification Subject To Change Without Prior Notice and Excluding Vat 7%